# DIABETES

The Journal of the American Diabetes Association

# INDEX

BY SUBJECT AND AUTHOR



**VOLUME 7** 

1958

107340

Copyright 1959, by American Diabetes Association, Inc.



This index covers all reading matter in Volume 7 of DIABETES. Entries marked with an asterisk (\*) indicate material which appeared in the Abstracts only. The author index appears on page 15.

A	cortex, 116-117, 410, 435	and insulin antibodies, 465
ABORTIONS	in acidosis, 12, °78 in bronchial carcinoma and diabetes,	and ketonuria, *419
and diabetes in male, 33-35	*76	maternal, and pregnancy outcome, 440-442
female sex hormonal therapy, 494	after corticotropin, *160	menarchial, 29-31
ACETATE	hormones, 9-14, °76, 435	and myocardial infarction, 101
in glucose formation, °78	in infant of diabetic mother, *74	and nephropathy, *165
in oxygen uptake, after insulin, 217	in insulin coma, *337	and neuropathy, 51
	and lipogenesis, 216	and obesity, *75, 215
ACETOACETATE	in nephropathy, 9-14	and pancreas, 56
alloxan diabetes induction, *509 decarboxylation of, 191	in pancreatectomized-hypophysecto-	alpha/beta cell ratio, *163
precursors, 173	mized baboon, °504 in retinopathy, 9-14, °74	and serum protein patterns, 48, 50 and sulfonylureas, 54, *249, *255
	and tolbutamide, *160, *250	and tolbutamide therapy, °75, °77,
ACETONE BODIES. See Ketone bodies	in vacuolization of cells, *509-510	*334
ACETYLSALICYLIC ACID, *508	and vascular lesions, 9-14	AGRANULOCYTOSIS, and carbutamide,
ACID. See specific acid	and dehydroascorbic acid, *163	55
ACIDOSIS, diabetic	hyperplasia, °74	
See also Ketoacidosis	hypertrophy, 216 and hypoglycemia, 147	ALBUMIN, serum content, 48, 50
adrenal cortex activity, 12, *78	after insulin, 435	specific insulin-like activity, 365-367
alloxan, *421	in toad, *509-510	and sulfonamides, 56 and sulfonylureas, *75
and biguanide, 92, 473	and intercapillary glomerulosclerosis,	and vascular complications, 46-51
blood sugar, 435	*74	A Section of the Control of the Cont
and cataracts, 23	medulla, 116-117, 410	ALBUMINURIA and age, *76
chloride deficiency, 230-235 fatty acids, 189, 194-195	and dimercaprol, *423	in pregnancy management, 440
and fetal loss, 441	metabolic changes with stress, 410	pseudo and actual, detection, 58
and glucagon, °503	in necrotizing papillitis, 116-117 ADRENALECTOMY	and renal function, 50-51, *76
glucose inhibition, in vitro, *510	and blood sugar, *419, *422	and tolbutamide, 58
and insulin, 230-234, 434-435, 470,	after hypoglycemic agents, 5-7, 54	ALCOHOL, and tolbutamide, 56
*505	in retinopathy prevention, 12-14, °422	
antagonist, °77-78, 230, 434, 437 in juvenile diabetes, °502	in vascular disease, *255	ALDOSTERONISM, *510
management, °75-76, 230-234, °333,	ADRENALIN. See Epinephrine	ALLERGY, 58-59, *71, *73, *77-78, 278,
*504-505	ADRENOCORTICOTROPHIC HOR-	331
artificial kidney, *331	MONE	photo-, *158, *254
mortality decline, 109-112	in alloxan diabetes, *162-163	ALLOXAN, diabetes. See Diabetes mel-
and perinatal loss, 441-442	and biguanides, °500	litus, alloxan-induced
and peripheral vasomotor collapse, 234	diabetogenic action, *251, 347-348, 410	AMERICAN DIABETES ASSOCIA-
and plasma 17-hydroxycorticosteroid level, *78	and hyperglycemia, *163, 347, *417	TION
prevention, °71, 441, °505	and phosphatase, of white cells, 454	Adler Foundation Research Fellowship,
and renal failure °74	and retinopathy, *336	83
and renal failure, °74 serum, 194-195, 235, °334, 434, 437	and urinary ketosteroids, 11, 12	Affiliate Associations
and surgery, *160-161	and vitamin $B_{12}$ binding, muscles,	Detection Drives, 393-396 news, 85, 170-171, 260, 345, 430-
and tolbutamide, 55	°417	431, 518
and urinary output of 11-oxysteroids,	AGAMMAGLOBULINEMIA, *252	symposium of Clinical Society of
	AGE	New York Diabetes Associa-
ACROMEGALY, 410, *423, 436	and albuminuria, °76	tion, 173
ACTH. See Adrenocorticotrophic hor-	arteriosclerosis, 101, *500	annual banquet, 424
mone	and atherosclerotic gangrene of ex-	attendance at, and at postgraduate
ADDISON'S DISEASE, 60, °252, 454	and atherosclerotic gangrene of ex- tremities, *70-71 and blood sugar, *78, 377-378	course, 344 annual business meeting, 343, 426-428
ADENOMA	blood urea nitrogen, and insulin, 382	annual meetings
adrenocortical, 214	and carbutamide results, *73-74	eighteenth, 82, 168, 256, 424
pancreatic islet, °250	and diabetes. See Diabetes mellitus,	President's address, 425
	childhood; elderly; juvenile	scientific sessions, 256-259
ADRENAL GLANDS	and glucose tolerance, *70, 350-354	nineteenth, 429, 515
adenoma, 105, 214 in elderly, *71	in uremia, 377-379 and hypertension, •76, 101, 441-442,	Banting medals, 426
and amyldiguanide, 89	*500	Banting Memorial Lecture, 257, 347- 356

Board of State Governors, 83, 515 Committees Information for Diabetics, 516-517 Research and Fellowships, 83, 169, 258, 344, 430 Scientific Exhibits, 169, 428 Council Assembly of Delegates, 516 Bylaw amendment, 429 officers and members, 79, 168, 256, 343, 424, 512 Diabetes Week, 170, 344, 393, 430 essay contest, 83-84, 169, 429-430, 516

1957-1958 winners, 429 FORECAST Reprint Series, 516 Summer Camp List for children, 170, 345 Talking Book for Blind, 517 Identification Card, 84 International Diabetes Federation, third congress, 84, 169 officers elected, 431-432 **Journal** binders, 84, 170, 432

editorials Diabetes in Turkey, 65-66 Diet and Atherosclerosis, 64-65 Heredity and Diabetes, 244-245 Is the Metabolism of Peripheral Tissues Affected by the Arylsulfonylureas, 61-63 The "Kimmelstiel-Wilson Lesion," 495-496

Oral Hypoglycemic Agents and the Controlled Clinical Study, 324-326

Pregnancy and Diabetes, 494-495 Recent Reports on the Mechanism of the Action of the Arylsulfonylureas, 409-410 Stress, Corticoids, and Diabetes, 410-413

student subscription rates, 85, 170 Lilly award, 168, 343, 425, 430, 516 Membership 170 Directory, supplement, new members, 84, 170-171, 259, 345,

517

news notes, 85, 171, 260, 346, 431-432, 518 obituaries, 86, 172, 260, 346, 432, 518 personals, 86, 171-172, 260, 346, 432, 518

postgraduate courses, 79-82, 168, 171, 343-344, 428-429, 512-515, 518

publications binders, 84 Diabetes Abstracts, 84, 170, 345 Diabetes Guide Book for the Physician, 516 Facts About Diabetes, 170, 432

Meal Planning with Exchange Lists, 83

Proceedings of American Diabetes Association, 517 Recipe Book, 430, 517

Reprints, 516 research fellowships, 83, 169, 259, 344, 430

scientific programs, 257, 424, 515 exhibits, 169, 428

AMINO ACIDS See also specific acids and blood sugar, \*78, 392, \*519 in cataract formation, 25 and dietary protein, in liver function, and hyperglycemia, \*416 and hyperlipogenesis, 484 plasma, and tolbutamide, \*159

renal glycosuria, \*73 AMINOBENZOIC ACID, 226

p-AMINOBENZOLSULFONAMIDISO-PROPYLTHIODIAZOL, \*77, °421-422

AMPHETAMINE, 8

AMPUTATION, and arterial insuffi-\*167 ciency, \*16 and survival, \*70-71

AMYLDIGUANIDE, 87-90

AMYL-FORMAMIDINYLIMINOUREA, 469

ANDROSTERONE, urinary, 10-12

ANEMIA

after carbutamide, and cortisone, 319 hyperchromic megaloblastic, \*337 pernicious, 454 and agammaglobulinemia, \*252 controlled by liver extract, 60

ANESTHESIA, °70, °160-161, °416 in delivery, °505

arteriosclerotic aortic, 99-100, 105, 106 retinal, and fat transport, 223 ventricular, 99, 106

ANGINA PECTORIS, and insulin, 97 and tolbutamide, \*418-419

ANOREXIA and cerebral excitation, 8 change from excessive appetite to, \*419 and diguanides, 89 prediabetic, 350 and tolbutamide, 55

ANTIBODIES, insulin, estimation, 462-466

AORTA, arteriosclerosis, 98-107 D-ARABINOSE blood clearance, 148 and serum phosphorus, \*502

L-ARABINOSE insulin-responsive, and tolbutamide, °250 urinary excretion, 37, 148

ARGININE, °416 ARLIDIN, in ischemic ulcerations, \*417

ARMANNI-EBSTEIN NEPHROPATHY, °423

ARTERIES: See Blood vessels

ARTERIOSCLEROSIS and aging, \*73, \*164, \*340, \*422 of aorta, 98-107 cerebral, \*73, 103, 105-106 coronary artery, 98-107 hypertensive, 105, \*500 and serum lipids, 194

ARTHRITIS, and insulin resistance, \*77-

ARTOSIN, °76

ARYLSULFONYLUREAS See also Sulfonylureas in aging, °165 beta-cytotropic hypothesis of action, 409-410 and glucose utilization, 63 and insulin release, 61, 63

ASPIRIN, in diabetes, \*253, \*338 ATELECTASIS, and fetal mortality, 443 ATHEROSCLEROSIS

coronary, \*163 occlusion, and fat transport, 223-225

and dietary intake, 228 fats, 64, 228 protein, 208, 210 embolization, 99 and essential fatty acids, 266 and gangrene, \*70-71 and hyperlipemia, 64 in necrotizing papillitis, 117 renal lesions, \*164 and serum lipids, 64, 190, 201, °423 and carotene, 200 and tolbutamide response test, 459 and vascular complications, 64, 386

AZOTEMIA, 11-12, 375-383

В

BALANITIS, \*72 BANTING MEMORIAL lecture, 257, 347-356 medals, 326

BARBITURATES, and tolbutamide, 56

BENEDICT'S TESTS, 312-315, \*337, 394, 398-401, \*423

BENZIDINE, \*506 BENZOLINE, °163

BIGUANIDES. See Phenethylbiguanide BLOOD

See also Blood sugar; Plasma; Serum amino acids, °78, 392, °519 arterial, 270, 392, 453 measurement, 449 capillary, and sulfonamides, 56 cholesterol, in obese diabetics, \*76, 240 in diabetic ketoacidosis, 232, 234 and dietary glucose deficits, 192 eosinophils, °252-253, °511 erythrocyte volume, °416 erythrocyte volume, fatty acids, 191, 266 fibrinolysin activity, 266

fructose, and uptake rate, \*501 hemagglutination tests, 464 z-ketoglutarate, 149-151 lactescence, 194 mucoproteins, \*416

pentose clearance, 148 pyruvate, 62, 149-151 Rh incompatibility, °74 and tolbutamide, 2-3, 62, 270, 409 urea nitrogen, 9, 376-383 and insulin action correlation, 382

nephrotic alloxan diabetes, 141 and renal damage, 50-51 in uremia, 376-383 venous, measurement, 449 water content, \*416

# BLOOD FLOW. See Circulation

BLOOD PRESSURE See also Hypertension and atherosclerosis, 64 auditory and cochlear responses, \*160 in diabetic ketoacidosis, 234 and gangrene, \*70-71

**BLOOD SUGAR** 

n,

13

See also specific conditions and specific hypoglycemic agents and ACTH, 347, 348 and adrenal activity, °422 after amino acids, °78, 392, °519 arterial, and tissue glucose uptake, 450-453 arteriovenous, 392, 409, 449 and aspirin therapy, \*253, \*338 auditory cortex and cochlear function, \*160 and central nervous system, \*162 and central nervous system, 102 after p-chlorphenoxyacetic acid, °252 congenital diabetes, °72 correction, and psychotherapy, °338 after cortisone, 261-265 in diabetic acidosis, 435 entry and removal rate study, 358-363 and epinephrine, \*74 fasting, misinformation from, \*505 and gout, \*78 and growth hormone, \*252, \*421, \*507

hepatic regulation, 2-3, \*506-507 m hyperlipemia, 240

and temperature, °500 and insulin shock therapy, °335 and intralenticular osmic earnings, 23 maternal, and fetal rabbits, \*71 neonatal pseudodiabetes, \*72 and nephrosis, 143 after noradrenalin, °77 and obesity, 238, 241 of pancreas, °500, °510

after pancreatectomy, 136-139 total, 305 and pentose metabolism, 148 peripheral, 62, \*71, 88, 91, 267, 363, 409, \*422, 449-453, \*503

response to alloxan, 390 after saline, 4-7 and senile confusion, \*73

and Synthalin A, \*249 tests, 57, 365

Benedict's, 312-315, \*337, 394, 398-401, \*423

caramelization, °335 Clinistix, °75, °163, °331, °336-337, 393-396, 398-401, °420, °423

colorimetric micromethod, \*337 dextrotest, \*509 Dreypak, 393-396

Dreypak, 393-396 Folin-Wu method, 487-489 glucose oxidase, °70, °75, °161, °251, 312-315, °334, °337, °339, 378, 393-397, 486-489 Kansas study, °423

Minnesota, 393-396 Nelson-Somogyi, 389, 456, 487-489

O-dianisidine, °161, °251 peroxidase, °161, °251 Tes-Tape, °70, °331, 393-396, 398-401, °420, °423 tolbutamide response test, 455-460 turnover rate, 359

in two-month-old diabetic Chinese, °71 in uremia, 375-383

and urine test positives, 394-396

BLOOD VESSELS arteriolar, \*255 hyalinization, \*70-71

ryamization, 70-11 sclerosis and retina changes, °336 arteriosclerotic, °72, °164 complication development, 64, °164, °167, °252, °342, 474 and adrenal cortex, 9-14, °422 and duration of illness, 385, \*422,

°509 mucopolysaccharide metabolism, 51,

"342 neuropathy, °72, °333, °419 peripheral, °72, 384-387 retinopathy, 50-51, 167, °252, °255, °342, °418, °422

serum protein pattern, 46-51 and transmetatarsal amputation, °167 and endothelial, after cobalt, 369

in hypokalemia, 233 mesenchyme reaction and adipose tissue, 218, 220

pelvis, 494 calcification, 440 uric acid metabolism, 386 venular dilatation and congestion, \*502-503

BODY

composition, and cortisone, 213, 220 growth, \*422 and amyldiguanide, 89 and biguanide therapy, 474 and lipoic acid, 180 thermochemical efficiency of, \*252, °422

and yeasts, 294 weight, See Obesity; Weight BONE

in alloxan diabetes, \*421 marrow depression and carbutamide,

BOOK REVIEWS Biochemistry, by Abraham Cantarow and Bernard Schepartz, 69

Care of the Long-Term Patient, by Commission on Chronic Illness, 329-330 Chemistry of Lipides as Related to

Atherosclerosis, edited by Irvine H. Page, 415

Counseling in Medical Genetics, by Sheldon C. Reed, 155

Diabetes as a Way of Life by T. S.

Diabetes as a Way of Life, by T. S. Danowski, 415 Food, Nutrition and Diet Therapy, by Marie V. Krause, 499 Foundations of Nutrition, by Clara M.

Taylor, 328-329 Hormonal Regulation of Energy Me-

tabolism, edited by Laurance W. Kinsell, 415 Structure and Function, by Hans Popper, and Fenton

Schaffner, 155

Low Fat Cookery, by Evelyn S. Stead and Gloria K. Warren, 69 Medical Progress, A Review of Medical Advances During 1956, by Morris Fishbein and

twenty-nine contributors, 156 Obesity, Its Cause, Classification and Care, by E. Philip Gelvin and Thomas H. McGavack, 156

The Pathogenesis of Coronary Occlusion, by A. D. Morgan, 330 Practical Pediatrics, by R. Cannon Eley and Benjamin Kramer,

330 Symposium on Endocrines and Nutri-

tion, edited by Frank H. Bethell, 329 Symposium on Nutrition and Behavior, edited by Joseph Brozek, 329

Technique of Fluid Balance, by Geof-frey H. Tovey, 329 The Treatment of Renal Failure, by John P. Merrill, 157

# BOYDEN'S TECHNIC, \*506

BRAIN cortex, in glycemia control, \*162 damage, and insulin, \*420 coma, 306 shock, \*159, \*249 and diabetic pregnancy, \*417-418 and diabetic pregnancy, \*417-418 hemorrhage, and infarction, 103 in hypoglycemia, \*72, \*503, \*508 and senile confusion, \*73 phospholipid metabolism, \*416 trauma, pancreatitis and diabetes af-ter, \*504

BUERGER'S DISEASE, \*417

BUTYLAMINOBENZENESULFONYL-UREA. See Carbutamide

BZ-55. See Carbutamide

# C

CALCIUM absorption, and milk sugars, 45 serum, and biguanides, 470

CANCER and diabetes, \*158, 308 and adrenocortical activity, \*76 pancreatectomy for control, 298-307 pancreas, \*158, 308, \*500 disseminated islet-cell, \*506

CANNON'S EMERGENCY RELEASE, 410

CAPILLARIES. See Blood vessels

CARBOHYDRATE and cardiac glycogen, 201 and cochlear function, \*160 dietary intake, 484, \*502 and alimentary lipemia, 198 in cardiovascular disorders, \*163 high, for urine tests, 393 and hypoglycemia, \*341 and hypoglycemia, and insulin use, 243 and plasma triglycerides, 198 and tolbutamide response test, 459 and fat, \*78 lipogenesis, 198

and arylsulfonylureas, 409 metabolism and acetyl Co-A, \*418

and ACTH, 347, 348 and adaptation syndrome, 410 defect onset, 347-356 and diabetic acidosis, 230 and dimercaprol, \*423 and endocrine glands, \*507 and glucose, \*71 and glycogen storage disease, \*167 in gout, \*78 and growth hormone, \*159, 201, \*339 hyperthyroidism, \*507 and a-ketoglutarate, 150 and ketonemia, \*418 and liver dysfunction, °506-507 and nephrosis, 142 in newborn, \*501 and noradrenalin, °77 and oral hypoglycemic agents, °70, °73, °76, 291, 452, 461 pathways, °78, °510 in pregnancy, °249 and serum triglyceride concentration, 194,199 tion, 194-199 in spinal cord injuries, \*501 and thyroid, \*159 and vitamin B<sub>12</sub>, \*417, \*502 protein binding, 51 tolerance, \*71, 347, 355 and cortisone, 265 and cortisone-glucose tolerance, 355 in obese, 237-238, 240 susceptibility to diabetes, 348-349 utilization, 190-192, °421 and arylsulfonylureas, 409 CARBUTAMIDE after adrenalectomy, \*419 alter aurenalectomy, °419 alphacytotoxic action, °77 and blood sugar, 53, °70, 288-291, °331, °338, °419-422, °501 and carbohydrate metabolism, °70, 291 and cortisone, °73-74, °159, 283-286, °319 dosage, \*420 multiplicity of reactions, 316-319 species difference, 54-55 effectiveness, °72, °249, °421, °423 and duration of illness, °73-74 in juvenile, °70, °74, °255, °423, °509 epidermolytic reaction, °340 and glucose tolerance, °338, °419 hypoglycemia, 53, °77, °250, °336, hypoglycemia, 53, \*420, \*425 delayed, 318-319 inhibition of insulinase, \*76-77 and insulin, \*341 sparing action, \*70 and liver glycogen, 291, \*419 in outpatient care, \*335 in pancreatectomized dogs, 288, 291 serum responses, \*75, 288-291, \*335, \*420 side effects, 55-56, °72, °75, 319, °331, °341 photo-allery, °158, °254 and sulfonamides, 56, °165 and sulfonylureas, °75 and thyroid radio-iodine uptake, °165 and tolbutamide, 55, °70, 283-286, °335, 475

CARCINOMA. See Cancer
CARDIOVASCULAR DISEASE. See
Heart, disease

SUBJECT INDEX 1958 CENTRAL NERVOUS SYSTEM and blood sugar control, \*162 in children born to diabetic mothers, °417-418 development, and galactose, 45 and hypoglycemia in congestive fail-ure, 147, °160 and insulin reactions, °255 and renal tubular function, \*339 and serum proteins, 51 CHASSOVNIKOV, S. G., 413-414 p-CHLORPHENOXYACETIC ACID, 0252 CHLOROPHENYLDIGUANIDOHEX-ANE, 88 p-CHLOROPHENYL-ISO-PROPYL DIGUANIDE ACETATE, CHLORPROMAZINE, 277 CHOLESTEROL in arteriosclerosis, 98 dietary, 113 and fat transport, 118, 205, 220, 226

liver, 204-206
in pancreatectomized, insulin-deprived baboons, °504
serum content, 113, 194-195
and atherosclerosis, 64
and carbutamide, °75
after dietary protein, 202-208
hypertensive disease, 65
and Kimmelstiel-Wilson syndrome, 240-241
in lipemia, 196, 203-204, 240-241
nephrotic alloxan diabetes, 141
and obesity, 239
and retinopathy, 240-241
synthesis, 181-187, °418, °423

and xanthoma diabeticorum, \*337 CHOLINE dietary, and fat transport, 204-208 and fatty liver, \*419 plasma concentration, \*422 in adolescent diabetic, 200

and taurocholate feeding, 205-206, 208

CHROMATOGRAPHY in insulin coma, \*333 urinary galactose, 37

tolerance, 354

CHYMOTRYPSIN, and insulin antagonist, 436-437

CIRCULATION collateral, 99 transmetatraal amputation, \*167 coronary, in cardiovascular disorders, \*163 in extremities and hypoglycemia, \*248 triglycerides, \*422

CIRRHOSIS
liver, °75, °508
and nutrition, °506-507
and phosphorus reabsorption, °505
CITRATE
and diabetic ketosis, °503
urinary output, °337-338
and zinc concentration, °161

CLINISTIX TEST, \*75, \*163, \*336-337, \*420 and Benedict's test, 398-401, \*423 in Minnesota study, 393-396 COBALT, and pancreas, °166, 368-374

COMA
in children, °253
in diabetic pregnancy, 439, 442
and hypoglycemia, °338, 580
insulin, °76, °333
adrenocortical response, °337
and secondary cerebral damage, 306
waked from, with glucagon, °335
in juvenile diabetes, °502
medullary stage, and auditory cortex,
°160
and peripheral vasomotor collapse, 234
and plasma insulin, °70
prediabetic, 350
recurrent, °74
and stress, 410
and temporary severe diabetes, 93, 94,

CONVULSION of hypoglycemia, \*338 after insulin, in toad, \*509 phospholipids metabolism in, \*416 COPPER REDUCTION METHOD, See

Benedict's tests CORONARY ARTERY, arteriosclerosis sequelae, 98-107

CORTISONE
in Addison's disease, 454
and adipose tissue, 211-220
and body composition, 213
species difference, 220
and carbothydrate tolerance, 348, 355
and carbutamide, °73-74, °159, 319
and glucose, °74, °159, °167, 261266, 284, 285, 348, 352-356
glycogen infiltration of pancreas, 16-18
and growth hormone, 16, °167
and hyperglycemia, °162-163, °417
and hypoglycemia shock, °331
and lipogenesis, 216
and obesity, 261, 353
in pancreatectomized, 17
and hypophysectomized baboons,
°504
and stress, 410
and vitamin B<sub>12</sub>, °417
COWAN, CHARLES E., 59-61

CREATININE, in uremia, 376, 379
CUSHING'S DISEASE
diagnosis, 490-492
and intercapillary glomerulosclerosis,

°74
and stress, 410

CYSTINE, and liver function, 207, 283-286

D

D-860. See Tolbutamide

DBB. See Amyl-formamidinyliminourea

DBC. See Methylbenzyl-formamidinyliminourea

DBI. See Phenethylbiguanide
DBTU. See Isoamyl-formamidinyliminourea

DECAMETHYLDIGUANIDINE, 88 and islet cells, \*249 and pancreatic extracts, \*166

DEHYDROASCORBIC ACID, \*509 ° 163.

DERMATITIS, 55, 319 as diagnostic warning, \*72

DEXTROSE, and hyperglycemia, \*416

DEXTROTEST, \*509

374

35

tex,

234

94,

See

sis

55

9

61-

56 18

7

ns,

sis,

33-

ni-

DIABETES MELLITUS

See also specific conditions, specific hypoglycemic agents and adrenalectomy, \*422 age of onset, 29-31 angiopathies, \*252

and environmental factors, 244-245, 411

and Orinase, \*77 and pregnancy, 56 in rat, 388-391 and sulfonylureas, \*249

and vascular complications, 51, °165, 384-386 and aldosteronism, °510 allosan-induced, 56, °509 and ACTH, °162-163

in adrenal-demedullated hypophy-

adrenai-demeduliated sectomized, °502 and adrenalin, °74 and age, 137-139, 388-391 bone changes, °421 and carbutamide, 56 and cataracts, 21-25 and central nervous system

and central nervous system control of glycemia, °162 and cortisone, °162-163

and cortisone, \*162-163 and dehydroascorbic acid, \*163 and glucose uptake, \*163-164 glycogen infiltration, 15-19 in hamster, \*251 and hydropic degeneration, 20 hyperlactacidemia, \*74 hypoglycemia phase of coret. \*3

hypoglycemia phase of onset, 388, 391

inflammatory response, \*340 insulin, intravenous, 362 lipogenesis in, 211 and mucormycosis, °70 and nephrosis, 140-146 after pancreatectomy, 56, 136-139 pancreatic islet cells, 389-391 and spontaneous diabetes in infant,

and sulfonamide, 56 and sulfonylureas, 56 and tolbutamide, 53-59, °77, 388-391, °418-419

391, \*418-419 triphasic response, 388, 391 ambulatory care, \*72, \*334, \*421 outpatient, \*335, \*336 and anesthesia, \*70, \*160, \*161, \*505 and angina pectoris, \*418-419 and aspirin, \*253, \*338

and automobile accidents, \*70, \*74, 471 and bacteremia, \*337

blood sugar. See Blood sugar brittle, 441 and carcinoma of pancreas, 308, \*417

primary, 311 cardiovascular complications, \*511 care of newborn, 448 and central scotomata, 25

childhood, \*507 and menarchial age, 30 complications, 384-386 See also specific conditions concepts, \*161, \*421 from Rollo to Banting, \*500

and cortisone. See Cortisone detection drives, 312-315, °423, 393-395, °507 limits of short-term study, 395

diagnosis, 354-355 differential, \*159 duration, 237, 384-386 and gangrene, 386

and insulin antibodies, 464 and late lesions, °165, °509 and life expectancy, 237, 242 and management, 53-59, °249, 435, 469-472

and renal function, \*76 serum protein pattern, 46-51

in elderly, \*162 and arteriosclerosis, \*73, \*164, \*340, °422

mammary periductal hyalin, \*163 and oral hypoglycemic agents, \*78, ° 165

senile confusion, \*73 and Z-N-Insulinum Organon, \*78 etiology, 27-28, \*161, 238, 241

cortisone-glucose tolerance, 347-356 environmental factors, 244-245, \*507 family factors, 27-28 genetic, 411, \*507 and potentiality, 355

in father, 33-35 and infant birth weight, 35 fragile, \*509

and heredity, 27, 93, 238, 242, 244-245, 310, 354-356, 411, °416, °419, °421, °506

17-hydroxycorticosteroid excretion, 11, \*160

hypernatremia, \*72 hyperthyroidism, \*252 incidence, 27-31, 106 childbearing population, 447 in Japan, 133-135 in siblings, 34-35, \*506

in siblings, 34-35, °506 identification card, 84 insulin resistance, °77-78, 466 and insulinoma, °164, °339, °341 hormone-producing, °334 and islet cell tumor, °164 juvenile, 55-56, °253, 440-444 acidosis, °502 biguanides, 468-476, °506 carbutamide, °70, °74, °255, °423, °509

coma, \*502 fatty acids, total, 200 and Lente insulin, \*417 long-term problems, 470 peri-insular halos in, \*162 plasma cholesterol, 200 remission phase, 470, 474 and sulfonamides, 56

sulfonylureas, \*255 and tolbutamide, 58, \*70, \*164, \*255, \*509

methods comparison, 398-401 and vascular complications, 384-385

and Z-N-Insulinum Organon, \*78 ketosteroid excretion, 10 and Kimmelstiel-Wilson syndrome, 228 labile, 57, \*164 and biguanides, 91, 471 and sulfonylureas, \*341

sympathotonia, treatment, \*253 and tolbutamide, 57, \*333, \*418-

and law, \*250, \*333 and leukemia, co-existent, °420-421 life insurance for, 320 lipoplethoric, °75 liver disease, °506

manifestations, 242, 411, °419 congenital, °72, °254, °417-418 mental deficiencies, °417-418 and nephrosis, experimental, 140-145

mortality, 109-112, 237, \*511 See also Diabetes Mellitus, statistics

and mucopolysaccharide metabolism, 51, \*342 mumps and alyeolar abscess, \*505 and myocardial infarction. See Myo-

cardium, infarction neonatal pseudo-, \*72 neuromuscular chronaxie, \*158

office management of, \*253 parotid swelling, 25

perton swelling, perton perton

stillborn, 448 predisposition, 27, 411 and pregnancy, °162, °167, °420 delivery time, 443, 448

and infant hormonal imbalance, °253 and infant size, 33-35, 355, 446, 448 and intra-uterine death, °75 management, °159, °250, 443, 448, °505

mortality in neonatal period, 495

senescent placenta, 443 probable, 349-356 and glucose tolerance, 349-353 protein metabolism, \*249 pyrimidine metabolism, \*249

remission, complete, 93-97 criteria, 96 severity, \*421, 475 fluctuations, 93 grading, 385

and perinatal loss, 440 tolbutamide response test, 455-460

White's criteria, 440
and socio-economic status, \*418
stable, \*164
blood glucose concentration, 455

Lente and unmodified insulin, \*73 and sulfonylureas, \*341 and tolbutamide, \*418-419

and zinc-suspensions, \*78, \*159 statistics, 403-408 by age, 406-407

Canada mortality, 403, 408 in countries, by sex, 408 England and Wales mortality, 403, 408

life expectancy, 237, 321 life insurance policy holders, 403

by race, 406-407 by sex, 406-407 United States, 403-407

by geographic region and state, 404-406 and steatorrhea, \*507

steroid, 410 bronchial carcinoma, \*76 and stress, \*166, 410-411 and stress, 100, 410-411 sympathetic nervous system, °166 traumatically induced, 411, °504 treatment, and age, 29-31, °165, °340 and tuberculosis, °70, °166, °331, °342, °507 in two-month-old Chinese baby, °71 unstable and Orinase, \*418-419

and plasma fatty acids, 191 and zinc-suspension, \*166 in war-stricken countries, 411 Week, 170, 344, 393, 430

O-DIANISIDINE in blood and urine sugar movement, \*251 in glucose determination, \*161

DIAZOLE, 445 DIBENZYLINE, \*166

and atherogenesis, 64-65, 208, 210 and biguanides, 473 calcium-phosphorus ratio and cataracts, 25 caloric intake, 239, 240, \*502 carbohydrate intake, \*502

and plasma triglycerides, 198 and cholesterol levels, 206, 207, 210 choline, 204-208, 210, \*419 in diabetes control, 239-241, 387, \*419, 478 blood-sugar-lowering ability, \*505-506

exchange lists, \*165 modifications, \*335 fragile, \*509 and insulin, 470 late vascular complications, \*165 sciatic neuropathy, 494 and vision, \*76 or essential and pol

and polyunsaturated acids, 193 and fat transport, 45, 202-210, 227-228 of first insulin patient, 60-61 galactose, 45

free, in congenital galactosemia, \*249 and growth, thermochemical efficiency, \*252, \*422

and hypoglycemia after hot and cold meat, "331 low-fat, 239-241, 386, 387, 478 methionine, 204, 206-208 pre-blood glucose determinations, 456 protein, 202-210, "252, "422 and nephrosis, 144 and serum constituents, 113, 204-210 for weight control, "419 and tolbutamide, 53-59

DIGUANIDINES, 89, 489

DIHYDROERGOTAMINE, \*416 DIMERCAPROL, and carbohydrate me-tabolism, \*423

DINITROCRESOL, \*162

DIURESIS and amphetamine, 8 and benzoline, °163 and extracellular hypertonicity, \*72 in hydramnios, 494

DREYPAK TESTS, 393-396 DYSPHAGIA, °507

E

EAR, response to hypoglycemia, \*160

and adrenal hyperactivity, 9-14 and central scotomata, 25 in retinopathy, 241

ELECTROPHORESIS serum proteins, 46-51, 365-366 and urinary, in nephropathy, 11 and sulfonylureas, °75 and trichloroacetic acid precipitation of insulin, 38-45

ENDOCRINE CRISES, management, \*75-76

EPINEPHRINE and alloxan diabetes, \*74 and eosinopenic action of glucocorti-coids, \*252-253 and glucose disappearance in eviscer-ated dogs, \*419 and hyperglycemia, 89 and insulin, 89, \*419 anti-effect, 272-277 and tolbutamide, 7, 89 ERYTHROBLASTOSIS FETALIS, 446

See also Retinitis; Retinopathy cataracts, 237 development and reversal, 21-26 senile, \*76 and duration of illness, \*422 and glucose tolerance, 351 refractive changes, \*76, \*336 and serum proteins, 48-49 small-vessel degeneration in, \*418 tears, glucose test, \*163

F

vitreous glucose, 24 and hemorrhage, 351

FAT. See Lipids

FATS, neutral. See Triglyceride FATTY ACIDS and adaptive hyperlipogenesis, 484 carbohydrate interrelation, °7 and cholesterol transport, 118 and endocrine glands, \*418 essential, 146, 266 in glucose formation, °78, 176 and insulin, 6, 61, 200 and ketogenesis, 175-178 liver, 6, 176-178 adipose tissue ratio, 212 nonesterified, 62, 189, 198 peripheral, 5-7 plasma, 190 synthesis, 175-178, \*418 lactating mammary gland, 483 pathways, °78, 178, 181-187, °340 and tolbutamide, 6, 7, 61, 62 triglycerides, 194-198

**FETUS** in diabetic pregnancy, 439-444, 494-495

alloxan-induced, \*507 classification of losses, 494 pancreatic duct epithelium ambipotensurvival, ey, ey, ey, and prediabetes in mother, 355, 495

FLUID in acidosis, 230-234, \*505 cerebrospinal, °163 extracellular, glucose, °161 in pregnancy, 442 therapy, °75-76, 230-234

FOLIN-WU METHOD, 487 FOOD, drive and satiety, \*250-251, \*420 See also Diet; Nutrition

FRUCTOSE eosinopenic reaction, \*511 and fatty acids, 176, 191 and glucose, 191 and hyperglycemia, °501 intolerance, °331 hereditary, °334 and serum phosphorus, \*502

**FURUNCULOSIS** as diagnostic warning, \*72 and glucose tolerance, 350-351

GALACTOSE renal glycosuria, 673 and serum phosphorus, \*502 urinary, 37 utilization, 45

GALACTOSEMIA congenital, \*249, \*254, \*334 and lactose tolerance,

GANGRENE atherosclerotic, \*70-71 incidence, 385-386 symptoms, 384 three phases, \*505

GASTROINTESTINAL TRACT colon bacilli, and BZ-55, "33 in diabetic pregnancy, 442 glucagon effect on, "510 insulin passage across, \*421 lipemia, and carbohydrate intake, 198

GLOMERULOSCLEROSIS See also Kimmelstiel-Wilson disease and adrenal cortex, 11-12 intercapillary, °70-71, °74, °158, 383, °418, 495-496 metabolic changes, \*158

GLUCAGON in cat and dog, effects of prolonged, 129-131 in disseminated islet-cell carcinoma, \*506 and fatty acids, nonesterified, 189 and gastric secretion, \*510 and gastric secretion, '310 and glycosuria, 131 and growth, chick embryo, °503 hyperglycemia, 89, 131 and insulin, 89, °254, °503 coma, °335, °501 treatment of reactions, °333 and peripheral glucose, °254, °503 in pregnancy and puerperium, °249 and renal function, °503 and renal function, \*503

tumor growth inhibition, \*510 GLUCOSE absorption, 492 amino acids, and appetite, 392 arteriovenous differences, 453 arteriovenous differences, 453 blood levels. See Blood sugar and carbutamide, °70, °73-74, 284-285, 288, °338, °419, °501 in cataract development, 24 cell equilibration, °161 cerebrospinal fluid, °163 chlorofen production from 402 cerebrospinal fluid, '163' chloroform production from, 492 and cortisone, '74, '159, '167, 261-266, 284, 285, 348, 352-356 and dehydration, '162 in diabetic acidosis, '505 and fatty acids, '78, 176, 189 formation, '78 formation, °78
and arylsulfonylureas, 409
via Krebs cycle, °78
gestational change in peripheral utilization, °249
and hydropic degeneration of beta
cells, 20 and hyperglycemia. 379
and insulin, See Insulin, and glucose
intravenous, °161
and blood-insulin activity, °167 and lenticular energy, 24 lipogenesis from, 219-220 and liver, 4-7, °70, 89, °158, °163-164, 178, °338, °362-363, \*419 metabolism, 23, 178, 181-182, 382, \*419 Embden-Meyerhof routes, 181, 220 in muscle tissue, °76 oxidase tests, °70, °75, °161, °251, 312-315, °334, °337, °339, 378, 393-397, 386-489 oxidation, 89, 211, 217 and ketogenesis, 178 and phenethylbiguanide, 88, 89, 91, 449, 452, °511 in plasma and ervthrocyte water, \*416 portal-hepatic differences, 2 and preparation for anesthesia, \*70 in renal glycosuria, \*73 after saline, 4-7 and serum phosphorus, °502 and tolbutamide, 2, 4-7, 62, °70, 89, 267, 285, 363, °422, 452 tolerance 58, 62, °70, °74, 261-266, °335, °338, 378, 382, 394 and abdominal wall abscess, 351 after adrenalectomy, \*419 and cancer, 311 and carbohydrate metabolism, \*507 in cystic fibrosis of pancreas, \*506 and fasting or underfeeding, \*504 in hyperazotemia, 375-383 after intragastric gas and posture, in mothers of stillborn infants, 447 and neonatal pseudodiabetes, \*72 in nondiabetic relatives, 354 nonspecificity of oral test, 455 in obesity, 238, 261-266 in prediabetes, \*251, 348-356 and prednisone, \*74

and probable diabetes, 349-355 and protein foods, \*254-255, \*331

and tolbutamide, 89 tolerance, \*338-339

en-

495

120

98

83,

ed.

na,

two-month-old Chinese, °71 in uremia, 375-383 tubular reabsorption, °339 turnover rates, 360-363, °507 uptake, °161, 296-297, 449, 451-453, °511 hormonal influences on, °167 mammary gland, °501 peripheral, 62, 88, 91, 267, 363, °422, 449, 453, °503 and pH, \*510 by rat, 380 and Synthalin, 89 without insulin, 284 after zinc insulin, 42 urine excretion. See Glycosuria; Urine, sugar content utilization, 88, \*341, 363 illization, 88, \*341, 305 and adaptation syndrome, 410 and glucagon, \*503 in hypoglycemia, 212 in pancreas and heart tissues, \*161 and sympatholytic and adrenolytic substances, 274-276 after thyroidectomy, \*507 treous, 24 vitreous, 24 hemorrhage, 351 GLUCOSE-6-PHOSPHATE in lipogenesis, 220, 483 of liver, 61 and carbutamide, \*70 in ketogenesis, 178 and tolbutamide, 7, \*511 and triphosphopyridine, 192, 220, 483 GLUTATHIONE, and insulin, \*76-77 GLYCOGEN after carbutamide, 284, 291, \*419 in cardiomegaly, 99 after cortisone, 284 and degranulation, 20 discovery of, 271 and hyperlipogenesis, 478-484 and insulin, 5-6, 61, 89, 285, \*502 intracellular concentrations of, \*509 liver, 67, \*419, \*502 and growth hormone, \*159 and hyperglycemia, \*416 and hyperglycemia, °416 after perfusion, °158 and phenethyldiguanide, 87-89 and potassium deficiency, \*503 retention, \*159 and sulfonylureas, \*75

and tolbutamide, 5-6, 61, 284, °511 vacuolization of tubules, °423

GLYCOSURIA and ACTH, °163, 347 and aspirin therapy, °253, °338 and benzoline, °163 and biguanides, 473 carbohydrate excretion in, °73 congenital diabetes, °72 and cortisone, °162-163 in Cushing's syndrome, 492 in diabetic pregnancy, °160, °420, 440 enzyme tests, false positive reactions, °334 and glucose, °339 tolerance, 350-351

and Synthalin, 89 muscle, 5-6, °509 in pancreatic duct epithelium, 15-19 storage disease, °167 in thyrotoxic, °159

and glucuronic acid, "251 and growth hormone, "249, "421, "507 and hepatic changes, "506-507 and hydroxycorticoid values, 490 and insulin, 470 and low-caloric diet, 239 neonatal pseudodiabetes, "72 and nephrosis in alloxan diabetes, 141 neuropathy and retinopathy prior to, 243 nocturnal reactions to Z-N-Insulinum Organon, "78 after noradrenalin, "77 and pancreatic carcinoma, "158, 308 prediabetic, 350-351 renal, and lactose, "73 serum lipids, 241 and steroid hyperactivity, 410 and sulfonylureas, 54-55 symptomless, "419 and tolbutamide, 56, "332, "334, "508 in two-month-old diabetic Chinese, "71

GROWTH HORMONE
in alloxan diabetes, °159
and carbohydrate, °159, °339
and cardiac glycogen, 201, °339
and fatty livers, °419
and glucose uptake, °167, °418
and glycosuria, °249, °421, °507
after hypophysectomy, °421, °507
and insulin effect, 436
ketogenic effect of, °504
and nitrogen metabolism, °339
and pancreas infiltration by glycogen,
16
and protein metabolism, °339
"steroid" diabetes, 410

# GUANIDINE-DECA-METHYLENE-GUANIDINE, 469

# Н

HEART

See also Myocardium
congestive failure, 103, 147
in diabetic ketosis, °502
disease, and arteriosclerosis, 64-65
cardiomegaly criteria, 99
coronary, 14, 98-106, °163
familial, and nutrition, 65
hemodynamics in hypoglycemic coma, °500
metabolism, °500
peripheral circulatory failure, °72
tissue, and pancreas interactions, 161
HEPATECTOMY, and sulfonylureas,

HEPATITIS, \*72, \*75, 319

HEREDITY
of atherosclerosis, 64
of diabetes, \*421
and age of onset, 27, 244-245, \*506
and carcinoma of pancreas, 310
gene therapy, \*416
incidence, 27, 242, 354-356, \*419
and of obesity, 238
and remission, complete, 93
and stress, 411
transmission in heterozygotes, \*506
twins, of diabetic father, 34-35
multiple-type, 242

HEXOSEMONOPHOSPHATE SHUNT in adaptive hyperlipogenesis, 481-485 and cholesterol synthesis, 181-187, 483 and ketogenesis, 178

HORMONES

See also specific antidiabetic, \*163 diabetogenic, \*251 therapy in pregnancy, \*76, 442, 495

HYDROCORTISONE

absorption, 492 and body weight, 220 excretion, \*78 and ACTH, 9-14 in insulin coma, \*337 in nephropathy, 9-10, 12 in retinopathy, 11-12, \*417 glycosuria, and false value, 490-492 plasma, 9-12

β-HYDROXYBUTYRATE, 173, \*509

HYPERADRENOCORTICISM, 213-214, 216

HYPERGLYCEMIA, in acidosis, °74, 230 and renal failure, °74 and ACTH, °163, 347, °417 anoxemia, 147 and carcinoma of pancreas, \*158 and cataract formation, 24 and cataract formation, 24 and Clostridium perfringens toxin, °416 and dehydroascorbic acid, °163 of dimercaprol, °423 glucagon-induced, °165-166 in blood amylase, °503 and growth hormones, °416 and hepatic changes, °506-507 and hydropic change, 20

and insulin hypoglycemia, \*165-166 neuropathy and retinopathy prior to, 243

nocturnal reactions to Z-N-Insulinum Organon, \*78 and pachycarpine, \*163 and pancreatitis, \*510

after partial pancreatectomy, 139 in pregnancy, \*249 after intrafetal insulin injection, \*71

spontaneous, in alloxan diabetes, °507

serum lipids, 241 and sodium chloride, 380 and steroid hyperactivity, 410 and sulfonylurea usage, 54 and tolbutamide, 56, \*508 triphasic response, 388 after urea, 379 and vitamin B12, 417

HYPERINSULINISM

diagnosis, \*338 surgical management, \*342 in disseminated islet-cell carcinoma. \*506 hemipancreatectomy for, \*250

and hyperadrenocorticism, 213 and pancreatic islet cell adenoma, \*338

HYPERLIPEMIA and cholesterol, 196, 203-204, 240-241 and choline, 205-206 clearing factor, \*423 and dietary fat intake, 64

and hexosemonophosphate shunt, 478-485 idiopathic, 203, 239, 241 and recurrent pancreatitis, \*332 serum lactescence, 196 and xanthoma diabeticorum, \*337

HYPERTENSION

See also Blood pressure and adrenal hyperactivity, 9-14 and age, °76, 441 and arteriosclerosis, 105, °500 and arterioscierosis, and cardiomegaly, 99 and coronary circulation, \*163 and duration of illness, \*509 and gangrene, \*70-71 and hypoglycemia, \*163, \*500 incidence, 99, 100, 106 and myocardial infarction, 32, 99-106 in pregnancy, fetal loss, 441-442 retina changes, 241, \*336 and serum lipid fractions, 231 and thrombosis, 100, 102

HYPERTHYROIDISM, \*158, \*507

HYPOGLYCEMIA

See also Blood sugar; specific hypoglycemic agents and adrenal cortical hyperactivity, 9and anaerobic glycolysis, \*255 in angina pectoris, 97 and auditory cortex, \*160 blood constituents, 150 and blood flow in extremities, \*248 and carbohydrate intake, \*341 in cardiovascular disorders, \*163 and hypertension, \*500 causes, \*75-76 and cerebral changes, \*159, \*333, \*503 simulating stroke, \*508

coma, \*72 in congestive failure, 147 convulsive attacks, \*338 simulating epilepsy, \*339 electroencephalogram, 97, \*25 and endocrine deficiency, \*342 functional, \*334, \*342 and glucagon, \*71 in hepatectomized, \*510 and hepatic glucose output, 4-7, 362 and hexamethonium, 97 and hyperventilation, °255 after hypophysectomy, °252-253, °342 medical-legal complications during, 333

in nondiabetics, 459 and nutrition, \*334 and phospholipid metabolism, \*416 and potassium concentration, 97, \*500, \*503 shock. See Shock and specific activity of blood glucose,

spontaneous, \*254, \*339 and temperature, \*162 and temperature, °162 and tumors, °254, °339 simulating sarcoma, °251 and urinary 11-oxysteroids, 410

HYPOGLYCIN A., \*508-509

HYPOPHYSECTOMY and blood sugar, after glucose, \*502 glucose uptake in lactating rats, \*500-501 and growth hormone, \*421, \*507 and hypoglycemia, \*342 and insulin injection in toads, \*509-510 and pancreatectomy, in baboon, \*504 and sulfonylureas, 54

HYPOTENSION, 232-233

HYPOTHALAMUS, and goldthioglucose, \*160

INDOLEACETIC ACID and insulinase activity, \*252 response, in children, \*336

INDOLEBUTYRIC ACID, °252 INDOLEPROPIONIC ACID, \*252

INFANT congenital diabetes, \*72 See also Heredity

of diabetic mothers, 440, 446 adrenocortical function, \*74 neurologic abnormalities in, \*417-418

furunculosis, 350 glactosemia, 45 glycosuria, 350, \*420 islets of Langerhans, 355-356, 446 hypertrophy in stillborn, 448 neonatal pseudodiabetes, \*72 newborn, blood sugar and glucagon, \*501

of prediabetic mother, 56, \*253, 355-356, 440-444, 448 size, 33, 355, \*420, 440 and diabetic father, 35

population comparison, 34-35 and wastage, 444 two-month-old Chinese diabetic, \*71

INFECTIONS, 471-472 and arterial insufficiency, \*167 and biguanides, 473 and carbutamide results, °73-74 and gangrene, °70-71 intercurrent, in diabetic pregnancy, 442 and metabolic alterations, \*70 and necrotizing papillitis, 117 in prediabetics, 355

and retinopathy, \*336 and sulfonylureas usage, 56-57 and tolbutamide, 58

INSULIN and ACTH, \*163 action, \*420

antigenic, 462 and degradation rate, 43, \*505 and heating in passively sensitized,

and of iodinated, in serum, 38-44 transport hypothesis, \*340 in adaptation syndrome, 410 and adipose tissue, lipogenesis, 211-

220

after adrenalectomy, 5-7 and adrenal gland of toad, \*509-510 and adrenal steroids, 435 and amyldiguanide, 90 antagonism, \*71, 434, 437, 461 and suprarenal cortex, \*335 antibodies to, 462-466

antigen, in preparations, \*336

peripheral, 6, 61, 267-270, 363, °422, 449-453, °503, °508 and phenethyldiguanide, 90

and hepatic differences, 2 reactions, 58-59, °73, °78-79, °249, 278, 331, °335, °341-342 fatal cases, °420

glucagon in treatment, \*333 and surgery for diabetic, °160-161 recrystallized, 466 requirements, °73-74, °164-165, °418-

in stress syndrome, 410-411

and acidosis, °77-78, 230, 437 and plasma-insulin, °70 and time factor, °71

after hypophysectomy, \*501 and ketonemia, \*251-252 and vitamin B<sub>12</sub>, \*502

serum, 48-51, 119-123 shock, °71, °159, °249, °335 and histiotoxic cerebral anoxia, °159 in schizophrenia, °335 single injection technic, °161

standardization, °420 and sulfonylureas, 54, 57, °70, °420 differences in action of, °164-165

and Synthalin, 89 tests, °70, °77-78, 382 therapy, thirty-fifth anniversary, 59-61 and thyroid function, °158-159

7, 54-58, 267-270,

\*333, 391, \*418-419, \*422,

284,

and respiratory quotient, 89

JOSLIN, ELLIOTT P., 328

494

lipoproteinogram, \*500 prevention, \*71

prevention, \*71 and stress, 410 treatment of, 230-235, \*500

149-150

analytic method, \*252

163

metabolism, 186

KETONURIA and age, \*419 and aspirin, \*253, \*338 and diet, \*503

and fetal death, 439

KETOSIS, \*503

and fatty acids, 191-192 metabolism, 173, 176 liver production, \*418

KETONE BODIES

See also Acidosis, diabetic; Ketosis and diabetic pregnancy, \*167, 442,

from fatty acids, and pyruvate, \*509 glucose uptake, 178 hyperglycemia, 230

α-KETOGLUTARATE, blood content,

See also Ketoacidosis; Ketonuria, in

blood, 62, 232 and insulin, \*251-252 and cortisone in alloxan diabetes, \*162-

and endocrine glands, \*418 and tolbutamide, 57, 62, \*159 and triphosphopyridine, 186, 484

and glycosuria, °420 and obesity, °419 after partial pancreatectomy, 139 and sulfonamides, °165

and tetal death, 439 and functional tests, \*251-252 and glucocorticoids, \*418 and insulin, \*77, 433-438 and loss of appetite, \*419 management, \*75-76 and phenethylbiguanide, 91-92 and plasma 17-bydrayycortics

and serum triglycerides, 200 and sulfonylureas, 56 and tolbutamide, 58

17-KETOSTEROIDS, urinary, 410

See also specific conditions

acetoacetate formation, 173 in acidosis, 233 and artificial kidney, \*331 and amyldiguanide, 89

degeneration and anuria, \*75

and dehydroascorbic acid, \*163 and diabetes, mortality, \*511

and ACTH, 9-14 in insulin coma, \*337

and biguanides, 470

plasma 17-hydroxycorticosteroid level, \*78

and triphosphopyridine nucleotide, 187

Armanni-Ebstein nephropathy, \*423

adaptive hyperlipogenesis and ACTH, \*163 and adrenalin, \*251-252

KETOACIDOSIS

production in children, \*336 release from damaged beta cells, 388

and pentose metabolism, 148

plasma, estimation, \*423 in Pleuronectidae, \*161

and fetal loss, 442

419

individual, 306

sensitivity

in toad, \*509-510 and tolbutamide, 1-7, \*164-165, 26

**INSULINASE** 

assay, 381-382

INSULINOMA, \*164

\*508

tolerance, 382, 461 and triiodothyronine, °159 trypsin inhibitor, °421 and tumor growth, °510 in uremia, 381

and urinary 11-oxysteroids, 410 and vascular mesenchyme, 218

and vascular mesencity ne, 216 withdrawal, testing for, 57 zinc suspensions, \$71, \$78, \$159, \$160-161, \$166, \$254, \$332, 445 and \$p{}H, \$73

after p-chlorphenoxyacetic acid, \*252 inhibition, by sulfonylureas, \*76, 77

hormone-producing, \*334 simulating epilepsy, \*339 and spontaneous hypoglycemic attacks,

IPTD. See p-Aminobenzolsulfonamidiso-

propylthiodiazol

ISOAMYL-FORMAMIDINYLIMINO-

UREA, 468-469

ISOAMYLDIGUANIDE, 88, 90

portal, 409

and pancreas, 20, 148

and arylsulfonylureas, 61

and arylsulfonylureas, 61
assay, 365-367, °508
classifications, 58
pancreas fibril formation in, °334
and carbutamide, °70, 284, 291
coma, °76, 306, °333, °337, °501
concentration, and pH, °510
and cortisone, 213, 284
test, °252-253
deficiency, °72, °75
and metabolism, °418
and pentose metabolism, 148

and pentose metabolism, 148 and steroid hyperactivity, 410 desensitization, \*160

and arteriosclerosis, \*73 in children, \*507

prescriptions, °75 and vision, °76 discovery and usage, 59-61 dosage, °250, 365, 466

eosinopenia, \*252-253

and epinephrine, 274-276

219-220 rate of utilization, \*505 specific activity, 4-7

and lenticular energy, 24 -like activity, \*508

mesenchyme stimulation, 220

metabolism, \*166, 274-276, 437

mammary gland slices, \*500-501 and thyroid, \*159 murder by, \*416 and muscle glycogen, 5-6, 89

necrobiosis lipoidica diabeticorum control, °165 and nerve impulse, °163 and obesity, 218, °332 and oxygen uptake, 217

transport into aqueous, 24

after pancreatectomy, 305

hyperglycemia, 89 and fatty acids, 6, 61, 200 and glucagon, °501, °503 carcinostatic action of, °510

hyperglycemia, 89 and glucose, 62, 89, °167, 211, 267-270, 285, °341, 358-363, 378, 380, 422, 451, 453, °502, °503

and metabolism of carbon atoms,

transport into aqueous, 24
hemagglutination reactions and tannic
acid, \*506
and hepatitis, incidence, \*73
and high caloric intake, \*74
immunologic studies of, \*71, 278-282
inhibition, \*166, 274-276, 437
and isoamyldiguanide, 90
isophane, \*73
and ketosis, \*77, 433-438
and lactic acid, 89
Lente, \*71, \*73-74, \*76, \*417, \*506
and lenticular energy, 24

from cation exchange resins, °416 and lipogenesis, 200, 211, 219-220 and liver, 2-7, 61, 62, 89, 211, 284, 362-363, °419, °502 inactivation in bullfrog, °166-167 manufacture in Turkey, 66

in diabetes control, 3-7, 150, °167, 230-234, 270, °332-333, °420, 434-435, 437, 470, °501, °505

complication prevention after pancreatitis, \*504 and duration of illness, 435, 465 fragile, \*509

9

necropsy findings, \*420 in papillitis, \*167

and fat transport, 225-226 function, \*76

and azotemia, 11-12 and coma, °74 glomeruli, °167, °255, 496 and isolating hyaline substance iso-lated, °341

also Kimmelstiel-Wilson syndrome and hematuria, 266

hemodynamics, 233 in nephrosis, experimental, 140-145 papilla, necrosis, 116, °167 and nephrosclerosis, °420

reabsorption of glucose, \*339 sodium retention, \*72 and sulfonylureas, 56 and urinary 17-ketosteroids, 11 vascular lesions, 51, 103, \*418

KIMMELSTIEL-WILSON SYNDROME,

9, °249, °420, 495-496 See also Nephropathy in early retinopathy, 241, 243 fat in glomerular capillaries, 229 isolation of glomeruli from, \*341 juvenile onset, 56 lipoproteins, 228, 241, 243 and plasma 17-hydroxycorticosteroids, 11 and uremia, 383

KWASHIORKOR, 204

# L

LACTATE and adrenalin, \*74 and alloxan diabetes, \*74 and biguanides, \*511 and insulin, 89, 217 and phenethyldiguanide, 88-89 production in pancreas and heart tis-sues, \*161 and Synthalin, 89 and tolbutamide, 89

LENTE INSULIN, °71, °73-74, °76, °417, °506

LEUKEMIA, °420-421

LEVARTERENOL, in ketoacidosis, 233-

LINOLEIC ACID, 146, 193 LIPEMIA RETINALIS, 239, \*334

LIPIDS absorption, 124, \*422-423 and alipotropic nutrition, 205 in atherosclerosis, 64, 190, °201, °423 atrophy, and Lente insulin, °76 and carbohydrate metabolism, 194 clearing factor, \*423 after cortisone-insulin, 213 and embolism, 222-224, 227 epididymal pad of rat for assay, °508 and exercise, 64 intake, 206, \*422

metabolism, 190, 204, °423, °506-507 and ketonemia, °418 and lactate, 176 and obesity, 237-241 pathways, 187

and tolbutamide, \*504 in pancreatectomized baboon, \*504 pancreatic cells, 373 after cobalt treatment, 369, 371

plasma concentration, 200 serum content, 50, 64, 194-195, 199, 204, 207-208, 239-241 transport, 221-227, \*422, \*506-507 and dietary protein, 202-208

LIPOIC ACID, 180

LIPOPROTEIN

liver secretion in choline-deficiency, 205 serum, 50, 206-208

and alipotropic nutrition, 204 and atherosclerosis, 64 in hypertensive disease, 65 in lipemia, 203

LIVER

and alpha-ketoglutaric-glutamic system, 150 after amyldiguanide, 89

and arylsulfonylureas, 409 and biguanides, 470 and carbutamide, 55, °70, 284, °419 cholesterol, 202-208

cholesterol, 202-208 and cortisone, 211, 284 and dehydroascorbic acid, °163 disease, °73, °506 fat transport, 202-208, °506-507 fatty, 6, 116, 176, 200, 212, °419, °423, °506-507 fibrosarcoma, °254 function, 92, 207, 470, °506-507 tests, °75

tests, °75 glucose, °70, 89, °163-164, °338, 362-

glucose-6-phosphate, °511 glycogen, 5-6, °75, 87-89, °158-159, 166-167, 284, °416, °419, °502-503 hemosiderosis, °337

hexosemonophosphate shunt activity, 483

and hypoglycemia, °254, °421-422 in congestive heart failure, 147 and insulin, 2-7, 62, 89, 211, 284, 362-363, °419, °502

insulinase activity uptake, 382 and IPTD, \*421-422 and ketogenesis, 173, °418, °509 lecithin, disappearance rate, °422 lipogenesis, 45, 210-211, °423, 478-

and cholesterol feeding, 206 of overnutrition, 478

and phenethyldiguanide, 87, 89, 92, and phospholipid, 204, \*422 and serum lipoproteins, 202-208

and sulfonamide, 56 and sulfonylureas, 62, \*165 and Synthalin, 89 and tolbutamide, 2-3, 6, 61-63, 89, 284, 362-363, 410, \*511

LUNG, abscesses, necrotizing papillitis, 116

# M

MALNUTRITION. See Nutrition

MELITURIA, \*159, \*420

MENARCHE, inception ages, and diabetes, 29-31

METHIONINE

dietary and fat transport, 204-208 and hyperglycemia after Clostridium perfringens toxin,

N-4-METHYL-BENZOLSULFONYL-N-BUTYLUREA, \*420, \*501

METHYLBENZYL-FORMAMIDINYL-**IMINOUREA**, 469

MONILIASIS, \*72

MUCORMYCOSIS, \*78

MUMPS, and alveolar abscess, \*505

MUSCLE

carbonate, in alloxan diabetes, °421 chronaxie shortening, °158 electrolyte concentrations, °421, °509 exercise, in experimental hypoglycemia, °162

gastrocnemius, and amyldiguanide, 89 glycogen, 5-6, 89, °159, °509 after carbutamide, °419 and phenethyldiguanide, 89 and Synthalin, 89

after tolbutamide, 6-7 and insulin, 5-6, 89, °158-159 antagonist, 438

rehabilitation in neuropathy, 493 vitamin B<sub>12</sub> binding, \*417

MYOCARDIUM

fibrosis, in necrotizing papillitis, 117 infarction, 64 and hypertension, 32, 99-106 incidence, and fatal acute, 14

NADISAN. See Carbutamide

NECROBIOSIS LIPOIDICA DIABETI-CORUM, \*72, \*165, 242

NELSON-SOMOGYI TESTS, 389, 487-489

NEPHRECTOMY, in necrotizing renal papillitis, 114-117

NEPHRON, histochemistry, \*417

NEPHROPATHY

See also Kidney and adrenal cortex, 9-14 and age, \*165 Armanni-Ebstein, \*423

and childhood onset of disease, \*252 in diabetic mothers, \*75, 440 experimental, in alloxan diabetes, 140-146

in pancreatic diabetes, \*418 and recurrent coma, \*74 serum, 48-51, 141 small-vessel degeneration in, \*418

NEUROPATHY

biopsies of sural nerves, °419 in cerebral hypoglycemia, °508 diagnosis, °333 and hyperlipemia, °501

and insulin, °158
optic, °76
and central scotomata, 25
pathogenesis, °72, °160, °419
in asymmetric and symmetric distal,
°510-511
peripheral, °511
myelin sheath degeneration. °160
prior to glycosuria and hyperglycemia,
243
sciatic, 493
serum proteins, 48-51
transmetatarsal amputation for, °167
NICOTINIC ACID, insulin-sparing action, °73

dia-

ium

)1

21

509

ree-

89

17

TI-

87nal

52

40-

NITROGEN
concentration, 392
and ACTH, 347-348
and tolbutamide, 62, °159
deficiency, 230-235
excretion, 347
nephrotic alloxan diabetes, 141
and phenethyldiguanide, 87
metabolism, 348
after hypoglycemia, °418
in Pleuronectidae, °161
NOORDEN, Carl H. von, 326

N-SULFANILYL-N<sub>2</sub>-N-BUTYLCARBA-MIDE. See Carbutamide

# NOREPINEPHRINE, 112

NUTRITION
See also Diet
alipotropic. 204
caloric intake, 8, 64
basal requirements, 243
and cardiac glycogen, 201
and cataract formation, 25
in diabetes management, °421
and essential fatty acids, 193
food-intake, °422
and lipogenesis, 64, 204, 216, 239
and temperature, °160, °500
and hepatic changes, °73, °506-507
and hypoglycemia, 147
in Japan, and diabetes, 133-135
and sulfonylurea usage, 54

# 0

OBESITY
and amphetamine, 8
and blood 2-ketoglutarate, 150
and blood sugar, °78
and carbohydrate tolerance, 237-238, 240
and dehydrocorticosterone, 215-216
and diabetes, 56, 236-243, 353-355, 411-412, °419
and emotional stress, °166
and energy balance, 243
etiology, in mice, °420
and fat intake, 64
glucose tolerance, 238, 241, 354
after cortisone, 261-266
goldthioglucose-mice, and temperature, °160
and glycosuria, 354, °420
hereditary aspects of, 237-238, 241
and predisposition, 411
and hyperadrenocorticism, 214, 216
hypothalamic, 211-212

and insulin, 218, °332 and islet hypertrophy, 214 and ketonuria, °419 and myocardial infarction, 32 and overeating, 239 and phenmetrazine, °76 in prediabetics, 355 types of, 238, 241 OPIE, Eugene L., 496-499 ORINASE second symposium, °164 See also Tolbutamide

OXALACETATE, and ketosis, experimental, \*503

# P

PACHYCARPINE, \*163 PANCREAS acinar cells, 369-373 and protein deficiency, \*419 and amyldiguanide, 89 carcinoma, \*158, 308-311, \*417, \*500 degranulation, 20, 369 and dehydroascorbic acid, \*163 disease, and diabetes, 58, \*418 duct epithelium, ambipotency, \*506 ergastoplasmic sacs, 369 fibrosis, and fatty liver, °419, °506 glycogen infiltration of, 15-19, °165 and growth hormone, 16 and heart tissues, 147 oxygen consumption, \*161 hydropic degeneration, 15-19 nyutopic degeneration, 13-13 and hypoglycemia, 147 insulin-producing capacity, 389-391 antagonizing, 438 in children, °335 islets of Langerhans, 216 cell types alpha, 89, 368, 371, °509 ergastoplasmic sacs, 371 hyperglycemic effect of pancre-atic extracts, °166 and Synthalin A, °249 beta, 15, 17, 62, 369, 389-391, 409 degranulation, 125-127, 389-391 glycogen infiltration, 18, 19 and growth hormone, 18, °249 hypertrophy, °249 necrosis, 388 and sulfonylureas, 53-54 C, 389 and carbutamide, \*421-422 after cobalt, 368, 369, 371, 373 after cortisone, 214 cytology of, °253 electron microscopy in pig, 368-374 and glucagon formation, \*165-166 glycosuria, and growth hormone, \*249 and insulin, 214 and IPTD, °421-422 and tolbutamide, 55, 62, °77, 125-127, 388-391, °422-423 turn, °164, °250 vacuolization, 15, 17, 368, 371 zymogen granules, 369, 373 enlargement, 446, 448 fibrosis, \*506 hyaline, \*158

hyperplastic, 355-356 in prediabetic, 355-356 and stillbirths, 355-356, 446 zinc concentration, °161 lipid, 369 and obesity, 215 peri-insular halos, °162 secretion, and glucagon, °503 and sulfonamides, 56 tissue, fibril formation assay of insulin, °334 and tolbutamide, 58, 61-63, 389-391, °421-422 ulcerogenic tumor, °510

diabetes after, 411 total, 298-307 glycogen infiltration of pancreas, 16-17 and hyperglycemia after Clostridium perfringens toxin, °416 and hypophysectomized baboon, °504 and insulin requirements, 305-306 partial, in alloxan diabetes, 136-139 and cortisone, 16-18, °504 and growth hormone, 18, °249 and sulfonylureas, 56, 61

PANCREATECTOMY

PANCREATITIS and blood sugar, \*510 after cranial and thoracic injury, \*504 peritonitis, and hyperlipemia, \*332 PAPER CHROMATOGRAPHY, 36-37

PAPILLITIS, necrotizing, 116-117
PEDG. See Phenethyldiguanidine
PENTOSE(S)
in carbohydrate metabolism, °502
insulin-responsive, and tollbutamide,
148, °250
metabolism, 147-149, °510
and serum phosphorus, °502

urinary excretion, 37

PEROXIDASE in blood and urine sugar movement, 

251
in glucose determination, \*161, \*251

PHENETHYLBIGUANIDE in acidosis, 92, 473 and adrenal function, ACTH test, \*500 and growth, 474, 475 hypoglycemic effect, 468, 476 and dosage, 474-475 and insulin therapy, combined, 475-476 in juvenile diabetes, 468-476 short-term treatment, 476 side effects, 474-476 toxicity, 91

toxicity, 88-89, 91-92, 470 of derivatives, \*508

PHENETHYL-FORMAMIDINYLIMI-NOUREA, 469

PHENMETRAZINE, °76

PHEOCHROMOCYTOMA, 410

PHOSPHATE and carbutamide, 288, \*335 hepatic-partial differences, 2-3 intracellular concentrations of, \*509 serum, 2-3, 62, 290-291, \*335 and monosaccharides, \*502 and tolbutamide, 2-3, 62, \*335 tolerance, \*335 white cell activity, 454

PHOSPHOLIPID in diabetes, 195 and lipemia retinalis, \*334 lymph, 204, \*422 metabolism, \*416 plasma concentration, \*422 in adolescent diabetic, 200 and serum cholesterol, 196 serum content, 206, 239-240

**PHOSPHORUS** and hyperglycemia after Clostridium perfringens toxin, \*416 and phospholipids metabolism, \*416 renal, \*505 and glucagon, \*503 serum, and biguanides, 470

PITUITARY GLAND anterior, \*74 ketogenic action of, \*504 and metabolic changes with stress. 410 tumors, 214

histopathologic studies, \*74 and hypoglycemia in congestive failure, 147 PLACENTA

damage, after intrafetal insulin injection, \*71 dysfunction and neonatal pseudodia-betes, \*72 and fetal edema, \*74 sugar transfer, \*71, \*501 vascular insufficiency, 494

PLASMA cholesterol, 200, \*422 fatty acids, 189-192, 200 17-hydroxycorticosteroids, \*160 and ACTH, 9-14 in stable and brittle diabetics, \*335 in uremia, 376-383 in hypoglycemic coma, \*500 insulin, \*342, \*423 extraction, \*70 and TCA precipitate, 43 insulin-like activity in, 62, °416 and tolbutamide, 62, °159, °160 water content, °416 PLEURONECTIDAE, giant islets, \*161

POTASSIUM in acidosis, 230-235, \*502, \*505 therapy, 112, 235 and carbutamide, 288 deficiency, \*502 cellular restoration, 230-234 and liver glycogen, \*503

and endocrine crises, \*75-76 excretion, and glucagon, \*503 and heart, \*502 hepatic-portal plasma and Orinase, 3-7 in hypoglycemia, 97, °500, °503 intracellular concentrations of, °509 muscle content, °421 serum, 289-291 in uremia, 376-383 after sodium chloride and urea, 380 urinary excretion of, 410

PREDNISONE, \*74, \*507

PREGNANCY, diabetic, \*420, \*494-495 \*162, \*167, amniotic fluid, and insulin, \*74 and congenital anomalies, \*417-418, 439, 441 and delivery method, 444 time, 443, 494 eclampsia, 442 erythrocyte volume, \*416 fetal loss, \*76, \*332, 439-444, 494-495 and age of diabetes onset, 56, \*253, 440-441 intra-uterine death, 439, 441, 443-444 fetal survival, \*167, 442

and zinc insulin, \*159 glycosuria, \*160, \*420 and prenatal care, \*420 hyaline membrane, 443 formation after delivery, \*75 hydramnios, 443-444 hyperglycemia, after glucagon, \*249 interruption perinatal loss, 443-444 intra-uterine tension reduction, 443 management, \*162, \*167, \*250, 439-444, 494-495 blood sugar, \*71 hypertension, 441-442

melituria, \*420 and multiparity, 440 and nephritis, \*75 prediabetic state, \*332, 355, \*420, 446 pre-eclampsia, \*167, 441-442 coma, 439 fructose intolerance, \*331 and retinopathy, \*336 detection of, \*251 and stillbirths, 33-35, 443, 444, 446 and sulfonamides, 56 and tolbutamide, 58 \*331, 355-356, toxemia, 442

PREMATURITY, and diabetic father, 34-35

PROLACTIN, \*251 PROTEIN breakdown, and adaptation syndrome, 410 and cataract formation, 23, 25 deficiency, and acinar changes, \*419 in diabetic acidoketosis, \*500 dietary, and fat transport, 202-208 in insulin-induced adiposity, 211 metabolism, 186-187 and growth hormone, \*339 and ketonemia, \*418 and liver dysfunction, \*506-507 and tolbutamide, \*504 and vascular disease, \*249 serum fractions, electrophoretic stud-ies, 46-51, 365

and insulin antagonist, 436 insulin-like activity, 365-367 nephrotic alloxan diabetes, 141 and sulfonamides, 56

PROTEINURIA, 141 and adrenal hyperactivity, 9-14 and serum lipid fractions in retinopathy, 241

PUBERTY, in prediabetics, 29-31, 355 PYELONEPHRITIS, 471-472 necrotizing, 114-117 and renal function, 11-12

PYRUVATE blood concentrations, 149 formation, \*78 hepatic, after tolbutamide, 62 metabolism, 150, 176 and oxygen uptake after insulin, 217

RASTINON. See Tolbutamide RESPIRATORY QUOTIENT and insulin, 89 and pancreatic extract, \*163 after phenethyldiguanide, 88 pyruvate levels and tolbutamide, 62 and Synthalin, 89

RESPIRATORY TRACT infections, 471-472 in diabetic pregnancy, 442

RETINITIS, 237, \*505 proliferans, 48-49, 351

proliterans, 70 - ...,
RETINOPATHY, \*167
See also Kimmelstiel-Wilson syndrome and ACTH, \*336
and adrenal cortical hyperfunction, \*74
adrenalectomy, 12-14, \*422 and adrenal cotton, 12-14, total bilateral, \*255 date of onset, \*165, 252 and duration of disease, \*76 and fat transport, 223 and hypophysectomy, 13, °253, °254 and micro-aneurysm, °255, °342 mucoproteins in blood and urine, °416 and nephropathy, \*72 in pancreatic diabetes, \*418 and plasma 17-hydroxycorticosteroids, prior to glycosuria and hyperglycemia, 243 and serum fractions, 48-51, 241 therapy, \*336 testosterone, \*417 urinary steroids, 14 vascular responses, 50-51, \*167, \*242, \*418, \*422 and mucopolysaccharide metabolism, \*342

RUBELLA, infection, 471-472 RUBEOSIS IRIDIS DIABETICA, \*76

SATIETY, and food drive, \*250-251,

SELYE'S ADAPTATION SYNDROME, SEPTICEMIA, 115

opa-55

17

62

me

•74

54

416

ids, nia,

42, sm,

76

51, Œ,

SERUM in acidosis, 194-195, 235, *334, 434,	SOMOGYI-NELSON TECHNIC, 456, 487	alphacytotoxic action, °77 and blood sugar, 89, °249
437 and biguanides, 470	D-SORBITOL, *502	hepatic and renal damage due to, *508
bilirubin, *75	STEATORRHEA, 25, *507	and lactic acid, 89
and carbutamide, *75, 288, 291, *335, *420, 436	STEROIDS	and respiratory quotient, 89
carotene, 200-201 cholesterol, °75, 194-195, 239	adrenal cortical and glycosuria, 347 synthesis and acetyl Co-A, *418 treatment for hypoglycemic reactions,	T
and low-protein diet, 207-208 nephrotic alloxan diabetes, 141	*340-341	2254 RP, for diabetes in children, *507
and obesity, 240	urinary, and sulfonylurea, *342	TAKATA-ARA TEST, *75, *78
time factor after feeding, 210	STILLBIRTHS, 33-35, *331, 355-356,	TES-TAPE SCREENING METHOD,
creatinine, 9	443-444, 446	*70, *331, 393-396, 398-401,
glucosamine, 240 glucose, *163	STRESS and adaptation syndrome, 410	*420, *423
See also Blood sugar and hyperglycemia, 241	and diabetes, *166, 411-412 and ductular cell granulation, 20	TETRAETHYLAMMONIUM IODIDE, *163
after Clostridium perfringens toxin,  *416	SUCCINIC ACID, *78, *161, 217	THREONINE, 207, 210
insulin, 119-123	SUGAR. See Blood sugar; Glucose	THYMOL TEST, *78
antagonist, 434, 437	SULFONAMIDES	THYROID GLAND
antibodies after, *336 epinephrine, 272-277	See also Sulfonylurea	absence and sulfonylureas, 54
inhibiting factor, *77-78, 434, 436-	glutamicoxalacetic transaminase, 56	and dehydroascorbic acid, *163
437	hypoglycemic, 53-54, *332, 445 in diabetic tuberculous, *507	and insulin metabolism, *158-159 radioiodine uptake, *165
lipids, 50, 64, 194-195, 199, 201, 204,	primary and secondary action, 467	weight after amyldiguanide, 89
207-208, 239-241 lipoproteins, 190, 207-208, 242-243	in pregnancy, 56	THYROXINE
after low-protein, low choline diet,	and serum alkaline phosphatase, 56 side effects, *165	and insulin uptake, *159
207-208		and liver glycogen content, *158
phosphate, 2-3, 62, 290-291, *335, *502	SULPHONILYL-BUTYLCARBAMIDE. See Carbutamide	and sympathetic nervous system, *166 and vitamin B <sub>12</sub> , *417
phosphorus, 470	SULFONYLUREAS	A4°
potassium, 288-291, 376-383 proteins, 46-51, *75, 141, 365-367, 436	and adrenalectomy, 54	TISSUE
sodium, 97, 376-383	beta cell response, *164-165	adipose, 211-220 epididymal pad of rat, *508
and sulfonylurea, *75, *420	and blood sugar, 1, 7, °71, °420 duration of lowering effect, 56-58,	fatty acids, 191, 211-220, *423
triglycerides, 194-201	*508	and insulin, 211-220, 450-451
in uremia, 376-383	versus postprandial fasting, 58	and oxygen consumption, 217 glucose uptake, and hypoglycemic
SHOCK	via stimulation of insulin secretion, *420	agents, 449-453
in diabetic ketosis, *502 after hyaluronidase, *335	and bromsulfalein retention, *75	in hyperadrenocorticism, 214-216
hypoglycemic, *255	and carbohydrate metabolism, *73,	TOLBUTAMIDE
and cortisone, *331	461	and adrenal cortical stimulation, *160
and histiotoxic cerebral anoxia, *159 in manic psychosis, *249	in depancreatized, 56 glycosuria, *508	and alkaline phosphatase, 55
overdosage, *159	and hepatitis, *75	on ambulatory basis, *334, *336, *421 and antibiotics, 56
and remission of narcotic addiction,	in hyperglycemia, *508	and barbiturates, 56
*249	hypoglycemic action, 7, *71, *250, *255, 461, *508, *511	and biguanides, 475
SILBER-PORTER METHOD, 9, 490- 492	and cortisone, *253	and blood sugar, 1, 3-7, 57-58, *77, *159, *331, *334, 358, 360-
SKIN	insulinase-inhibition, °76, °77 and liver function, °75 and insulin, 54, °70, °164	363, 388, 390, 409, *421-422,
lesions, *72	and insulin, 54, *70, *164	456
reactions to hypoglycemic agents, 55,	and glutathione-induced degrada-	and carbutamide, 55, °70, °335, 475 and cholesterol, °336, °421, °511
*71, *331 surface temperature studies, 384	tion, *76-77 in liverless dogs, *510	contradictions to usage, 58
xanthoma, 239-240, *334	mechanism of action, *71, *337, *341.	in diabetes types, 58, *77, *160, *254, *508
SOBOLEV, LEONID V., 245-246	*417, 461	alloxan, 388-391
SODIUM	review, *501 and metabolism of liver, 62	congenital, *254
in alloxan diabetes, 141, *421	and pituitary-corticoadrenal system.	in juvenile, 58, *70, *255, *507, *509
bisulfite, in urine hydroxycorticoids,	*342	labile, 57, *333, *418, *419
491-492 chloride, 380	screening for usage, 56-58 serum concentration, *420	mild, *166
and glucose tolerance, 382	Takata reaction, *75	untreated, 55 and diguanides, 89
deficiency, in acidosis, 230-235, *505	and thyroidal uptake of radioiodine,	dosage, *255
intracellular concentrations of, *509 restriction, 442	*165 and tolbutamide, *164-165, *508	species differences, 54-55
in hydramnios, 494	SUMMNER'S METHOD, 398-401	effectiveness, 58, *158-159, *249 and epinephrine, 7
serum, 97, 376-383		and fatty acids, 6-7
in uremia, 376-383 urinary excretion, 141, *503	SYMPATHOTONIA, *253	and glucose, 62, 267-270, 358, 363, 421-422, 449-453
SOMATOTROPHIN, *251	SYNTHALIN. See also Decamethylene, Biguanide	*421-422, 449-453 hepatic output, 4-7, 61, 89
John Tollin, 201	Diguanide	repaire output, 11, 01, 00

oxidation, 89 threshold, 451-452 utilization, 267-270, \*422, \*442, °504

and glucose-6-phosphatase, 7 and glycogen, 61, 284, \*511 liver and muscle, 5-6 and glycosuria, \*332, \*508 in handicapped, 58

history, 53 in hyperglycemia, 89, \*504

h hyperglycema, 89, \*504 hypoglycemic responses, 4-7, \*75, 89, 150, \*158, \*160, \*162, 190, \*331-332, \*336-337, 389-391, \*422-423, 455, \*510 inhibition of insulinase, \*76-77 and insulin, 1-7, 54-58, \*77, \*164-165, 267-270, 284, \*333, 391, \*418-419, \*422, \*508 and lactic acid, 89

and leukopenia, 55. \*70 and lipoplethoric, \*75 and metabolism of rat liver and dia-phragm, 283-286 in necrobiosis lipoidica diabeticorum, \*165

and overweight, \*75, \*332 and pentose metabolism, 148 and peripheral tissues, 6, 61, 62, 267-270, \*422, \*442, 449-453. 270, \*508

relapse after, 56 response, \*158, 455-460, \*503-504 and age, \*75, \*77, \*334 second symposium, \*164 and serum phosphate, \*335 side effects of, 55, 56, \*70, \*72, \*164, 458, \*508 and sulfonamides, 56 \*165 and sulfonvlureas, \*75

and thyroidal uptake of radioiodine, \*165 tolerance, \*158 toxicity, 55. °77 and tranquilizers, 56

TRIGLYCERIDES lymph, °422 in plasma chylomicra, \*422 serum, 194-201 in early diabetic retinopathy, 241 hepatic response, 204 after low-methionine diet, 206

# TRIIODOTHYRONINE, \*159

TRIPHOSPHOPYRIDINE and cholesterol synthesis, 186-187, 483 and hepatic ketogenesis, 178

inhibitor and zinc insulin, \*421 and serum insulin antagonist, 436 TUBERCULOSIS and diabetes. \*70, \*166, \*331 carbutamide, \*507

and tolbutamide, \*342 tuberculin-hypoglycemia in, \*251

U-2043. See Tolbutamide

formation, and phenethyldiguanide, 87 glucose tolerance test after, 379-382

and arteriosclerosis, 103 and glucose tolerance, 375-382 and serum protein fractions, 49

URINARY TRACT, infections, 117, \*337,

URINE, excretions acetone, 57 and insulin, 470 albumin test, 58 androsterone, 10-12 daily output, \*338 dehydroisoandrosterone, 10-12 etiocholanolone, 10-12 17-hydroxycorticosteroid, 11, \*78, 492 and ACTH, 9-14 and Orinase after corticotropin, \*160 mucoproteins, \*416 in nephropathy, 11 nitrogen, in nephrosis, 141, 144 and obstruction in necrotizing papillitis, 115, 117 11-oxysteroids, 410 pentoses, 148 phosphorus after fructose, \*505 pregnancy and prenatal care, \*420 protein loss, 144 renal glycosuria, °73 in retinopathy, 9-14, °336, °417 sodium, 141 sugar content, \*161, \*251 in cardiovascular disorders, \*163 in differential diagnosis of diabetes, \*159 and pancreatic extract, \*163 paper chromatography, 36-37 after partial pancreatectomy, 136-139 and yeast, 293-297 tests, 36-37 Benedict's, 398-401 Clinistix, \*75, \*331, 398-401 in diabetes mass detection, 312-315

self-interpretation, 393 Sumner method, 399

Tes-Tape, 398-401 and tolbutamide, 57-58 of vitamin  $B_{12}$ , \*336, \*417

VASCULAR DISEASE. See Blood vessels, diseases

VITAMIN A, and fat transport, 226 B<sub>12</sub>, \*336 in carbohydrate metabolism, \*417, \*502 and retinopathy, \*417 D, 226 VON GRAEFE, Albrecht, 151 VON MÜLLER, Friedrich, 66-68

WALKER CARCINOSARCOMA, \*510 WATERHOUSE-FRIDERICHSEN SYN-DROME, 114-117

WEIGHT See also Obesity after ACTH, 215 birth, and diabetic father, 34-35 and blood cholesterol levels, \*76 and diabetes mortality, 237 and diguanide therapy, 89-92 fat metabolism, 240 and glucose tolerance, 243, 350-354 and gnicose tolerance, 243, 30-30-30
f goldthioglucose-obese, and temperature, °160
and insulin, 211, °509-510
and ketonuria, °419
of toad, °509-510 and tolbutamide, 56, °75, °166 in two-month-old Chinese diabetic, °71

# X

XANTHOMA diabeticorum, \*72, \*336-337 experimental, 438 ground substance changes in, 477 and serum hyperlipemia, \*334 of skin, 239-240

XANTHURENIC ACID, \*505 D-XYLOSE blood clearance, 148 insulin-responsive, and tolbutamide,

and serum phosphorus. \*502 urinary excretion, 37, 148

YEASTS, in urine and saliva, 293-297

Z-N-INSULINUM ORGANON, \*78 ZOLLINGER ELLISON'S SYNDROME,

# AUTHOR INDEX 1958

In this index are the names of authors of articles which have appeared in Diabetes and those whose articles have been abstracted in the Journal during 1958. Entries marked with an asterisk (\*) indicate authors of material which appeared in the Abstracts only. For subject index see page 1.

7,

A
Abe, Teitaro, °251
Ackerman, R. F., 312-315, 398-402
Adlersberg, David, 236-241, 243
Ahler, J., 398-402
Akishina, N. I., °158
Alagna, G., °416
Albright, B. J., 490-492
Albrink, Margaret J., 194-199, 201
Alex, Morris, 98-106
Allan, J. C., °504
Allwood, M. J., °248-249
Altszuler, N., °341
Andersson, B., °72
Andrews, M. M., °253, °338
Ansell, C. B., °416
Antila, Viljo, °251
Antoniades, Harry N., °416
Aoyama, Shigeto, °331
Arai, Yoshiaki, °333, °503
Aschner, B. M., °416
Ashmore, James, 1-6
Asper, S. P., 38-44, °342, °423
Azérad, E., °500

Babbott, David, 33-35 Babbott, David, 33-35
Baggenstoss, Archie H., 308-311
Baglioni, Corrado, °503
Baird, C. W., °70
Baker, Roger Denio, °340
Balen, S. A., °158
Baron, D. N., °70
Barta, L., °70, °331, °500
Bastenie, P. A., °70, °159
Batts, Adrienne A., °249
Bauer, Heinz, °70
Bayne, Stephen, °331
Beach, Eliot F., 136-139
Bean, Ianelle, 486-489 Bean, Janelle, 486-489 Bedo, M., \*500 Beekman, Bruce E., \*249 Beese, J., \*507 Beese, J., \*507
Beigelman, Paul M., 365-367, \*416
Bell, D. J., \*416
Bell, E. T., \*70-71, \*158
Bell, George E., \*503-504
Bellens, R., \*159
Bendfeldt, E., \*331
Bennett, Claude E., \*249
Bennett, Claude E., \*249
Bennett, Leslie L., \*249
Bennett, Warren A., \*337
Berg, Max, \*416
Bergemann, Till, \*77
Bergen, Stanley S., \*500
Bergstrand, A., \*158
Berkman, James, \*249
Bernsohn, Joseph, \*501
Bertram, F., \*331
Best, C. H., \*510

Bethard, William F., \*421 Bhattacharya, S. K., \*163 Bibergeil, H., \*417 Bicknell, Franklin, \*331 Bierman, Edwin L., 189 Bing, Richard J., \*500 Birnbaum, David, \*500 Blair, J. L., \*334 Blau, Seymour H., \*417 Bloom, Arnold, \*159, \*504 Bloomfield, Arthur L., \*500 Blumenthal, Herman T., 98-106 Bolinger, R. E., 272-277 Blumenthal, Herman T., 98-100 Bolinger, R. E., 272-277 Bonessa, C., °500 Bonting, Sjoerd L., °417 Boon, Wong Hock, °71 Bornstein, J., °70 Borsschieter, E., °341 Boucot, Katharine R., °331 Bouman, J., °161 Bradley, Robert F., 468-477 Bradley, T. R., °500-501 Bradshaw, Phoebe J., 136-139 Brenman, Arnold, °160 Britton, Barbara, °505 Broman, L., °333 Britton, Barbara, \*505
Broman, L., \*333
Brown, F. R., Jr., \*165
Brown, Harold, \*78
Brown, Harold, \*78
Brown, Harvey E., Jr., \*252
Brown, Meyer, \*501
Bryson, William, \*501
Bucht, H., \*158
Burckhardt, K., \*158
Burckhardt, K., \*158
Burckhardt, W., \*158
Burns, Robert P., 21-26
Burns, Thomas W., \*417
Burt, Richard L., \*249, \*331
Burtness, H. I., 59-61
Burton, Stanley D., \*158
Butterfield, John, 449-454
Butterfield, W. J. H., \*771, \*158
Byers, Sanford O., \*158

Cahill, George F., Jr., 1-6 Caillouette, James C., °331 Cain, E. F., 59-61 Calton, F. M., °501 Camerini-Davalos, Rafael, °337, °502-503, °505-506, °508 Camp, J. L., °71 Campos, Paulo C. °249 Campos, Paulo C., \*249 Cantero, Antonio, \*511 Cardeza, A. F., 368-374 Caren, Raymond, \*249 Carrington, Elsie R., °332 Chaikoff, I. L., °78 Charnaya, P. M., °166 Chow, Bacon F., °417 Christensen, S., °501

Christophe, J., °159
Clamen, M., 140-145
Clarke, D. W., 283-287
Clowes, G. H. A., °162
Cohen, Aharon M., °158-159
Colbert, R. M., °501
Collins, John M., °501
Colwell, Arthur R., Sr., 53-59, °501
Conwell, John A., °501
Connd, V., °70, °159
Conn, Jerome W., 347-357
Constam, G. R., 36-37, °71, °159
Cook, James R., 298-307
Corbo, Lucille, °249
Cordonnier, James K., °166 Corbo, Lucille, \*249 Cordonnier, James K., \*166 Cornblath, Marvin, \*501 Corvilain, J., \*501, \*511 Cotlar, Nathan, \*249 Courville, Cyril B., \*159 Craig, James W., 267-271 Craig, James W., 267-271 Croom, J. H., °159 Crowley, Mary F., °159, °504 Csaky, T. Z., °501 Cullimore, Owen S., 136-139 Cutforth, Robert H., \*417

# D

Dagenais, Yves M., \*507-508 Daly, J. J., \*71 Danowski, Thaddeus S., \*501-502 Danowski, Thaddeus S., \*501-502 Darwish, A. E., \*502 Daughaday, William H., 230-235, \*502 Davies, J., \*71, \*501 de Bodo, R. C., \*341 DeBonis, C. S., \*71-72 de Graeff, J., \*72 De Groot, C. A., \*159, \*502 de Grouchy, J., \*506 De Groot, C. A., "159, "502
de Grouchy, J., "506
Dekaban, Anatole S., "417-418
Demanet, T. C., "70
Demanet, J. C., "159
DeMeutter, R., "70
De Meyer, R., "510
Deucher, F., "339-340
Deuil, Roger, "332
DeVaughn, N. H., "502
DeVenanzi, F., "502
Dickey, Robert F., "72
Dickinson, Lewis, "249
Diengott, Daniel, "252
Dimsdale, Lewis J., "159
Dinda, Ruth E., "501
Ditzel, Jørn, "418, "502-503
Dobson, Harold L., "418, 482-489
Dodgen, Charles L., "503
Doenges, John P., "336, "421
Dohmen, H., "416
Dole, Vincent P., 189 Dole, Vincent P., 189 Dolger, Henry, 53-59 Dollerup, E., \*501

# AUTHOR INDEX 1958

Dorian, Robert I., \*420 Dorner, M., \*165-166 Dorner, M., "165-166 Dreiling, David A., "503 Drury, M. I., "159 Duchateau, Norman, "421 Duncan, Garfield G., 53-59, "332 Duncan, L. J. P., "159, "418 Dunlop, D. M., "159, "160 Dyfverman, A., "333

Earle, A. Scott, 1-6 Earle, A. Scott. 1-6
Eiseman, B., \*510
Elleuberg, Max, \*333
Ellis, Stanley, \*249
Ellison, Edwin H., \*342
Ellison, R. J., \*503
Elrick, Harold, 129-131, \*333, \*503
Emrich, Karl, \*75
Engel, Frank L., \*418
Engelhardt, Hugo T., \*418
Engelrt, Edwin, Jr., \*78
Engleson, Gunnar, \*72
Epstein, E., \*504
Erk, Vernon O., \*165
Essellier, A. F., \*252-253

Fabrykant, Maximilian, \*333, \*418-419 Fagerberg, Sven-Erik, \*72, \*160, \*333, \*419 Fahlgren, H., \*72 Fasella, Paolo, \*503 Fernández, César, \*160 Faracia, Faoio, 505
Fernández, César, °160
Field, James B., 433-438
Fikry, M. Essam, °502
Finkle, John, °501
Fischer, O., °505
Fisher, Peter, °160
Flanagan, E. B., °250
Flanagan, John F., °70
Flink, Edmund B., °333
Forbes, Gilbert B., °421
Franckson, J. R. M., °70
Franklin, Edward C., °334
Frawley, Thomas F., °250
Frazer, Samuel C., °334
Freeman, A. G., °419
Fregly, M. J., °160
Frezal, J., °506
Friedman, George Alexander, °250
Friedmann, Bernice, 358-364 Friedman, Bernice. 358-364 Friskey, R. W., °165 Fritz, Irving B., °419 Froesch, E. R., °334 Fry, I. Kelsey, °158, 449-454 Fulton, Richard L., °503-504 Furnivall, Mary, °334

Gablinger, S., \*339-340 Gabrilove, J. Lester, \*160 Gaddy, H. R., \*339 Garland, Hugh, \*250 Gastineau, Clifford F., \*504 Geld, H. v. d., 119-123, 272-277 Gelin, A., \*504 Gellis, Sydney S., \*75 Gemzell, C. A., \*421, \*507 Genes, S. G., \*158, \*166 George, Robert A., \*249 German, J. L., 261-266 Gerritzen, F., \*72

Gerstenfeld, Shirley, \*339 Gever, A., \*509 Gerstenfeld, Shirley, °339 Geyer, A., °509 Ghata, J., °500 Gilbert, C., °504 Gilbert, Joseph T., °339 Gillman, J., °504 Ginsburg, Jean, °248-249 Ginsburg, Silas J., 33-35 Gitzelmann, R., °338-339 Given, William P., °250 Glenn, J. E., °501 Goetz, Frederick C., 393-397 Goldenberg, Sidney, 98-106 Goldner, Martin G., °166-167 Goodman, Edward H., Jr., 358-Goldner, Martin G., °166-167 Goodman, Edward H., Jr., 358-364 Gordon, Edgar S., °250 Gordon, Maria F., °419, °509-510 Goto, Yoshio, 133-135 Grabar, P., °336, °506 Green, Robert C., Jr., 308-311 Greene, James A., °418, 486-489 Greenman, Lawrence, °501-502 Griffiths W. L. °337 Griffiths, W. J., \*337 Grindle, L., \*165 Grindle, L., °165 Griscom, John H., 21-26 Grodsky, G. M., °334 Groen, J., 119-123, 272-277 Gross, Milton, °420 Grumberg, A., °334 Guggenheim, Peggy Rose, 393-397 Gumpel, Roy C., °334 Günther, Otfried, °72-73 Guttman, Aron °160 Gutman, Aron, \*160

Haarstad, Jens, °334 Hackedorn, Howard M., °73, °504 Hadley, William B., °418 Haemmerli, U. Peter, °503 Haessler, H. A., °421 Hall, G. H., °504 Hall, Mauri, °335 Hallay Leo I °73 Hall, Mauri, \*335 Hallay, Leo I., \*73 Halmi, N. S., \*504 Hand, Leo V., \*160 Hardin, Robert C., \*340 Hardwick, C., \*71, \*158 Hare, Robert L., \*75 Harr, Helmut O., \*165 Harris, Keith, \*510 Harrison Charles W., \*3 Harr, Helmut O., °165
Harris, Keith, °510
Harrison, Charles W., °336, °421
Hartroft, W. Stanley, 221-227
Hashim, Sami A., 114-117
Hass, A. C., °504
Hasselblatt, A., °420
Haunz, Edgar A., °73, °420
Hausberger, Franz X., 211-220
Hausberger, T. E., °250
Hawkes, J. H., 398-402
Hay, K. M., °334
Hayes, Daniel W., °161
Heijkenskjöld, F., °73
Heinsius, E., °505
Helps, E. P. W., °73
Hendon, James Robert, °250
Henley, Elaine D., °255
Hennes, Allen R., °510
Hernberg, Carl A., °73-74
Herold, A. A., °161
Hertz, Roy, °506
Heskel, Milton M., °74
Hill, F. M., °338
Hill, M. M., °74
Hilton, James G., °500 Hilton, James G., \*500

Hirayama, Sizuo, °161
Hirsch, B., °420
Hirsch, Edwin F., °420
Hlad, C. J., Jr., 129-131, °503, °510
Hodgkinson, C. Paul, °167
Hoenig, V., °505
Hoenigová, J., °505
Hoet, Joseph P., °74
Hoffman, M. M., 140-145
Hollomb, Blair, °75
Hollifield, Guy, °250-251, °420
Holling, H. Edward, °71, °158, 449-454
Holman, Ralph T., °118, °146, °193
Holten, Cai, °74, °251 Holman, Ralph T., \*11 Holten, Cai, \*74, \*251 Holzel, A., \*254 Holzel, A., \*254 Homan, J. D. H., \*161 House, E. L., \*251 Houssay, B. A., \*251 Hsia, David Yi-Yung, \*75 Huffman, E. R., °503 Hug, G., °338-339 Hugenholtz, M. J., °341 Huggett, A. St. G., °161, °251 Hughes, Joseph, °496-499 Hunter, R. B., °341 Hyde, Paul M., °255

Ikkos, Denis, \*161, \*421, \*507 Ippen, H., \*254 Irvine, R. E., \*74

Jackson, W. P. U., \*251, 446-448 Jacobs, Erwin M., 493-494 Jacobs, Erwin M., 493-494
Jacobs, Erwin M., 493-494
Jacobs, Gerson, 358-364
Jaffe, Louis, °74
Jahnke, K., °334-335
James, George, °507
Janowitz, Henry D., °503
Jaumann, R., °335
Jauregui, Raul Hernandez, °166-167
Jeanneret, P., °252-253
Jensen, S. Eskjaer, °335, °501
Jersild, M., °74
Jezequel, C., °507
Jiménez, Díaz, C., °74-75
John, Henry J., °505
Johnson, Doris, °335
Johnson, Einer W., Jr., °505
Johnson, Morris B., °255
Johnson, P. C., 490-492
Joiner, C. L., °335
Jones, Walter S., 439-445
Julian, Nancy, °331

Kaartinen, Matti, \*335 Kalant, N., 140-145 Kalstone, Bernard M., \*505 Kanter, G. S., \*161-162 Kaplan, P. M., \*158 Kapp, David F., \*510 Karasek, M. A., \*505 Kark, Robert M., \*417 Katsch, G., \*162 Kaufman, Robert E., \*420-421 Keltch, A. K., \*162 Kennedy, B. J., \*255 Kennedy, David J., \*505 Kennedy, D. J., "255 Kennedy, David J., "505 Kennedy, J. E. K., 320-324 Keup, W., "335 Khanade, J. M., "509

Kigoshi, Shigeru, °251 Kinsell, L. W., °165 Kinzer, Charles William, °162 Kirtley, W. R., 93-96 Kitamoto, Osamu, °251 Kleeberg, Julius, °335, °500 Klein, R., °335-336 Klimas John F. Jr. 388 392 Klein, R., \*335-336
Klein, R., \*335-336
Klimas, John E., Jr., 388-392
Kloster, Johan, \*77-78
Knick, Bernhard, \*75
Knowles, Harvey C., Jr., 109-112
Knox, Lawrence J., \*336, \*421
Koenig, Robert P., \*505
Kohn, J., \*75, \*336
Kolff, Willem J., \*331
Komrower, G. M., \*254
Konigsberg, I. R., \*503
Kotake, Yahito, \*505
Krahl, M. E., \*162
Krall, Leo P., \*336, 468-477, \*505-506
Kramer, Benjamin, \*163
Kramer, Denyid W., 384-387
Kronenberg, Bernard, \*336
Kulkoski, Bernard, \*336
Kulkoski, Bernard, \*326 Kulkoski, Bernard, \*421 Kuusisto, A. N., \*251 Kuwayti, Kamal, \*75

54

# L

Labhart, A., °334
Lacy, Paul E., °71, 368-374
Ladimer, Irving, °108, °229
Lambert, Thomas H., °421
Lamy, M., °506
Lancaster, W. M., °506
Landau, Bernard R., °506
Landing, Benjamin H., °162
Lang, S., °166
Lapenna, Martheriga Silvestri, °336
Lapenna, Martheriga Silvestri, °336
Lapresle, Cl., °336, °506
Larsson, Yngve, °506
Laskowski, M., °421
Laskowski, M., Jr., °421
Laskowski, M., Jr., °421
Lawrence, R. D., °75
Lazarus, Sydney S., 15-19, 125-127
Leach, Robert B., °74
Lee, C. T., Jr., °335
Leevy, Carroll M., °506-507
Leftin, Jehaudah H., °337
Lehmann, Orla, °72
Leites, S. M., °162-163
Leopold, Irving H., 151-154
Leschinskaja, I. S., °251-252
Lestradet, H., °507
Levin, Ephraim Y., °501
Levine, Herbert J., °506
Levine, Rachmiel, 53-59, °419, °; °510
Levinson, Samuel A., °416 \*419, \*507, \*510 Levinson, Samuel A., \*416 Levinson, Samuel A., \*416 Levinson, Samuel A., \*77 Lewin, J., \*500 Lewis, Edward C., II. \*252 Lewis, J. G., \*75, \*163 Lewis, R. C., \*164 Lieberman, Jacob E., 261-266 Lieberman, Seymour, 9-11 Lips, J. B., \*72 Lipscomb, Harry S., \*418, 486-489 Lobeck, Charles C., \*421 Long, Earl E., \*507 Lorenzen, Robert F., \*336 Loustau-Chartez, Marc, \*507 Loveless, Mary H., 278-282 Lowrie, William L., \*167

Luft, Rolf, °161, °421, °507 Lukens, F. D. W., °421 Lundbaek, Knud, °74, °335, °421, °422 Lundmark, C., °72 Lurie, Arthur S., \*336-337

# Mc

McCandless, Esther L., \*422 McConalesy, William M., \*9337 McCoulagh, E. Perry, 298-307 McDonald, George, \*422 McGovack, Thomas H., \*165 McKendry, J. B. R., \*75 McKittrick, John B., \*167

MacDonald, Mary K., °163
Macdougall, A. I., °253, °338
MacFarlane, A., °418
Macgregor, A. G., °159
Macho, L., °507
Madison, Leonard L., °422, 455-461
Magee, Kenneth R., °417-418
Mahler, R. F., °341
Maier, C., °337
Mailman, Richard A., °507
Man, Evelyn B., 194-201
Marble, Alexander, °337, °508
Marks, Leon J., °337
Marquetti, Estela, °501
Mars, G., °500
Marshall, David, °503
Marshall, David, °503
Marshall, N. B., °160
Marston, Ellen, 462-467
Martin, Donald B., °507-508
Martin, T. Sterling, °75
Martin, William J., °337
Maske, H., °161
Mayer, Jean, °160, °252, °422
Mayes, P. A., °252
Mehnert, Brigitte, 293-297
Mehnert, Hellmut, 293-297
Mehnert, Brigitte, 293-297
Mehnert, Hellmut, 293-297
Mehnert, Brigitte, 293-398
Meiklejohn, A. P., °159
Merian, A., °160
Meyer, John S., Mohnike, G., °252
Mohnike, G., °252
Mohnike, G., °252
Moinat, Pierre, 462-467
Møller, Bent, °335
Möllerström, J., °337-338
Molzahn, Valerie J., 267-271
Monroe, Lee S., °421
Moore, Charles, °78
Morandi, L., °252-253
Moretti, G., °509
Morgans, M. E., °76
Morpurgo, A., °500
Morton, John V., °419, °510
Mosca, Leonardo, °163, °253, °422-423
Moss, James M., °509
Muehrcke, Robert C., °417
Munk, K., °161
Munro, I. B., °75
Muntwyler, Edward, °503 509 Muntwyler, Edward, \*503

Murlin, John R., \*163 Murray, D., \*75 Murray, Ian, \*506

Nabarro, J. D. N., °166 Nace, P. F., °251 Nakayama, Yutaka, 133-135 Namin, Ernesto P., °249 Nakayama, Yutaka, 133-135 Namin, Ernesto P., °249 Nath, M. C., °509 Neuberg, Hans W., 21-26 Newcomb, Alvah L., °509 Newton, John D., 375-383 Nichols, Nancy, °509 Nielsen, Kai, °421, °422 Nielsen, Robert L., °255, °338 Nikiforova, N. I., °253 Nisell, Ove, °163 Nixon, D. A., °161, °251 Noach, E. L., °72 Norton, William S., °500 Novikov, A. T., °163

Oakley, Celia M., °70
Oakley, Wilfrid, °338
O'Connell, Maureen, °338
Odell, William D., 87-90
Olivecrona, H., °421, °507
Olmsted, W. H., °423
Olson, Robert E., 202-208
Olwin, Thomas K., °333
Oncley, John L., °416
Oppé, T. E., °75
Oppenheimer, H. E., °423
Osterman, E., °335
Otto, H., °331
Oya, J. C. de, °74-75

Packer, Henry, 312-315, 398-402
Page, Otto C., °75
Paley, R. G., °166
Palmer, Solon, Jr., °421
Parson, William, °250-251, °420
Patová, V., °505
Paul, Jerome T., °509
Pavlov, G. T., °162-163
Peanasky, R. J., °421
Peck, Franklin B., Jr., 93-96
Peck, Franklin B., Sr., 93-96
Peck, Franklin B., Sr., 93-96
Penbos, J. C., °251
Pennell, Robert B., °416
Perilstein, Paul K., 384-387
Perisutti, Gladys, °252
Perkoff, Gerald T., 375-383
Petrova, A. N., °163-164
Pirart, J., °504
Planta, F. von, °338
Plattner, H. C., °253
Pletscher, A., °76-77
Pollak, Victor E., °417
Pomeranze, Julius, °253
Portnoy, Harold D., °508
Post, Richard H., 27-31, °416
Pote, William W. H., Jr., °338
Powell, M. E. A., °417
Prader, A., °334
Presley, Sophie J., °509
Presthus, Jan, °255 Packer, Henry, 312-315, 398-402 Page, Otto C., \*75

Priestley, James T., \*254 Prout, T. E., 38-44, \*342, \*423 Pryce, I. G., \*338

# R

Rachiele, F. J., 129-131
Radkina, B. S., \*166
Rae, M. V., \*164
Rafaelsen, O. J., \*335, \*422
Ralli, Elaine P., \*75-76, \*334
Ranke, Eugene J., \*253
Rapela, C. E., \*509
Reardon, Helen S., \*332
Reichard, George, 358-364
Reid, James, \*253, \*338
Renold, Albert E., \*507-508
Richardson, J. C., \*338
Richardson, J. C., \*338
Richardson, J. C., \*338
Richardson, J. C., \*338
Richardson, J. C., \*348
Richardson, J. C., \*358
Richardson, J. C., \*358
Robbins, Edward, \*158
Robberts, Thomas N., 189
Robillard, Rosario, \*76
Robinson, R. M., \*510
Robson, W., \*252
Rodriguez-Inigo, J., \*510
Rodríguez-Miñón, J. L., \*74-75
Rogers, Terence A., \*510
Root, Howard F., \*167
Root, Mary A., 53-59
Rosenthal, F. D., \*76
Rossi, E., \*338-339
Rossmeisl, Elsie C., \*337
Rowell, N. R., \*74
Rubin, Alan, 33-35
Rudomin, Z. P., \*339
Russell, Jane A., \*339
Russell, Jane A., \*339
Russell, Jane A., \*339
Russell, Keith P., \*331

# S

Sagle, Lloyd Alexander, °75
Saifer, Abraham, °339
Salem, Edward S., °74
Salter, J. M., °510
Sandberg, L., °73
Sargeant, Lynn, °418
Saucier, Robert, °76
Schamaun, M., °339-340
Schauble, Muriel K., °340
Schepers, G. W., °76
Scherenleib, Fredy, 46-51
Schimek, Robert A., °253-254
Scholz, Donald A., °254
Schuck, O., °505
Schwamm, H. A., °338-339
Schwarz, V., °254
Schwarz-Speck, M., °158
Scohy, L., °501, °511
Scott, G. W., 38-44, °342, °423
Searle, Gordon W., 388-392
Seegers, Winnifred, °165
Segaloff, A., °78
Seglenieks, Z., °501
Sellman, Jack C., 375-383
Senman, H., 283-287
Sexton, Robert F., °420
Shallenberger, Paul L., °510
Sharma, Raghunath Ghandra, °76
Shatton, Jennie, °419

Shaw, Helen M., \*165 Sheldon, Walter H., \*70 Shirey, Earl K., 298-307 Shaw, Helen M., \*165
Sheldon, Walter H., \*70
Shirey, Earl K., 298-307
Shreeve, Walton W., \*510
Shuman, Charles R., \*332
Siliprandi, Noris, \*503
Silver, A. A., \*165
Simon, G., \*70
Singh, Gurbachan, \*76
Singh, Inder, \*254
Singh, Man Mohan, \*76
Siperstein, Marvin D., 181-187
Skensved, Ole, \*254
Skillman, Thomas G., 109-112
Skouby, Arne P., \*165
Slater, J. D. H., \*166
Smellie, J. M., \*423
Sobel, G. W., \*510
Sodhi, Harbhajan S., \*254
Soffer, Louis J., \*160
Sollberger, A., \*937-338
Solomon, Samuel, 9-11
Sommers, Sheldon C., \*163
Sorce, Richard C., \*510
Spellen, Bruce, \*165
Spencer, A. G., \*76
Spirtos, B. N., \*504
Spittel, John A., Jr., \*337
Splitter, S., \*165
Sprague, Randall G., 308-311
Spratt, Irving L., \*340
Srinivasan, M., \*254-255
Stadie, William C., 173-178, \*340
Staeffen, J., \*509
Staffeldt, Ingrid, \*74
Stahl, J., \*165-166
Statti, Louis W., \*76
Staub, A., \*503
Steele, R., \*341
Stephens, P. J., \*75, \*163
Sterzing, Ludwig, \*340
Stetten, DeWitt, Jr., \*255
Stevenson, A. E. M., \*76
Stone, Howard H., \*417
Stowers, J. M., \*341
Strässle, R., \*76-77
Strauzenberg, S. F. \*77 Stevenson, A. E. M., °76 Stone, Howard H., °417 Stowers, J. M., °341 Strässle, R., °76-77 Strauzenberg, S. E., °77 Strisower, E. H., °78 Stuber, H. W., °334 Sugar, Samuel J. N., °77 Sukhovoi, F. I., °158 Sullivan, John F., °510-511 Surtshin, A., °166 Swanson, Heidi E., °338 Szücs, S., 288-292 Szücs, S., 288-292

# T

Tagnon, R., \*501, \*511
Tanner, Donald C., \*338
Tassoni, J. P., \*251
Tepperman, Helen M., 478-485
Tepperman, Jay, 478-485
Thannhauser, S. J., 66
Thiel, A., \*77
Thomas, Clayton L., 375-383
Thomas, Constance P. F., \*341
Thorn, George W., \*416
Thosteson, George C., \*77
Tiszai, A., 288-292
Tolstoi, Edward, \*250
Törnblom, Nils, \*341
Traisman, Howard S., \*509
Trytten, M. H., \*14

Tucker, H. St. George, °162 Tuller, Elizabeth F., 46-51 Tulloch, John A., 316-319, °341 Tunbridge, R. E., °166 Turano, Carlo, °503 Turner, Oliver E., °511 Tyberghein, Jean M., °255, °511 Tyler, Frank H., 375-383

# U

Unger, Roger H., \*422, 455-461

# V

Valk, L. E. M., °72
van Beek, Cornelia, 245-248, 413-414
Van der Hoeven, L., °341
Van der Sar, A., °341
van Wijhe, M., °72
Vassella, F., °338-339
Vasseur, Bernard, °507
Veller, N. S., °166
Venkatesan, T. V., °341
Vitale, Joseph J., °252, °422
Volk, Bruno W., 15-19, 125-127
Volk, David, °255
Voll, Artur, °77-78
Vongries, Alexander G., °334

# V

Waddell, William R., \*511
Walker, G., \*166
Walker, Joan B., \*166
Wall, J. S., \*341
Wallach, Stanley, \*78
Wallbank, W. L., \*166
Waugh, Douglas, \*423
Weaver, J. A., 38-44, \*342, \*423
Weber, George, \*511
Weber, J. F., \*159, \*502
Weigand, Franklin A., \*501-502
Weigand, Franklin A., \*501-502
Weinges, K. F., \*78
Weinhouse, Sidney, 358-364
Weinman, E. O., \*78
Weisenfeld, Shirley, \*166-167
Weiss, Daniel M., \*337
Weiss, E. B., \*503
Weiss, T. E., \*78
Weissman, Milton, \*334
Wells, Benjamin B., \*167
Wells, Ronald, \*9342, \*511
Wendland, John P., \*167
Wenger, Verena, \*342
West, Kelly M., 490-492
West, Kelly M., 490-492
Westlake, E. K., \*166
Wheelock, Frank C., Jr., \*167
Whipple, N., \*503
White, Priscilla, 27-31, 468-477
Whitehouse, Fred W., \*167
Whittstone, William E., \*510
Wick, Arne N., \*505
Widner, R. R., \*504
Willebrands, A. F., 119-123, 272-277
Williams, Robert H., 87-90, \*255, \*338, \*511
Williams, Roger D., \*342
Wilson, Rodman, 109-112
Wilson, W. P., \*503
Wise, George N., \*342
Witten, Thomas A., \*333
Wolf, H. P., \*334

# AUTHOR INDEX 1958

Wolfe, Frederick, °255 Wolff, Frederick W., °159 Wolff, Herman J., °255 Woodward, Hiram, Ir., 267-271 Woolf, N., °251, 446-448 Woolner, Lewis B., °254 Wright, J. T., °255 Wright, Peter H., °423 Wulff, B. L., 490-492

# Y

Yagi, Tsutomu, 133-135 Yakusheva, T. S., °162-163 Yam, Tan Bock, °342, °511 Yankelevich, D. E., °255 Young, F. G., °167

# Z

Zeligman, Israel, \*165 Zetterqvist, Per, \*72 Ziegler, Dewey K., \*255 Ziffer, Herman, \*160 Zilversmit, D. B., \*422, \*423 Zottu, S., 1-6

# **Book Reviewers**

Louis K. Alpert, M.D., Washington, D.C.
Deaconess Maude Behrman, Atlantic City
Mary Dumm, Ph.D., New York
W. Stanley Hartroft, M.D., Ph.D., St. Louis
Norman Jolliffe, M.D., New York
Abraham H. Kantrow, M.D., New York
Harvey C. Knowles, Jr., M.D., Cincinnati

D., Washington, D.C.
hrman, Atlantic City
Im, Ph.D., New York
I.D., Ph.D., St. Louis
Ife, M.D., New York
I.D., New York
I.D., Ph.D., St. Louis
Ife, M.D., New York
I.D., New York
I.D., Ph.D., St. Louis
Ife, M.D., New York
I.D., New York
I.D., Ph.D., New York
I.D., Ph.D., New York
I.D., I.D.,



